Technical data sheet



Aquafix Kupfer 8135

Copper powder for real metal effect for use in industry and trade

	PRODUCT DESCRIPTION
Product numbers	8135000300
General	Copper powder for achieving real metal effects on surfaces made from wood-based materials; optimised for use with Bluefin Pure-Metal (3133).
Application area	Additive for real metal coatings in furniture and interior finishing. Optimised for use with Bluefin Pure-Metal (3133).
	PROCESSING
Processing instructions	 Carefully incorporate Aquafix Kupfer (8135) into the paint-hardener mixture by stirring without forming lumps. Stirring is best done by machine using a basket agitator.
	 Any change in the processing sequence, environmental conditions, non- observance of instructions or the use of products not listed may have an unfavourable effect on the result.
	 Please observe the respective technical data sheets of the blended products.
Quantity to be added 250T auf 105T	250 parts by weight to 105 parts by weight of the paint/varnish or mixture of paint/varnish and hardener.
Cleaning the working	With water immediately after use.
equipment 8029	To remove dried paint residues we recommend using Aqua-Cleaner (8029) (diluted 1:1 with water).
	ORDERING INFORMATION
Size of trading unit	1kg

1-0 IMC 8135 | 04/25

Colour shades / Glosslevels

For a commission, therefore, only use product from the same batch.

FURTHER DETAILS

Durability / storage









Min. 1 year(s) in the original sealed containers.

Make sure the product is protected against moisture, direct sunlight, frost and high temperatures (above 30 °C).

Immediately seal the container to prevent humidity from penetrating.

Do not store with oxygen-rich or oxidising (combustible) materials.

Do not store with self-igniting substances.

Keep the product away from oxidising agents and from materials that are strongly alkaline or strongly acid.

Safety information







- Keep it away from heat, hot surfaces, sparks, open flames and any other sources of ignition. Do not smoke.
- During use, it is possible that explosive/highly flammable mixtures of dust and air may arise.
- Containers and the system to be filled should be earthed.
- Use explosion-proof electrical operating equipment.
- In the event of a fire: use special powder for metal fires or carbon dioxide (CO2). Do not use water.

It is recommended to use safety gloves and safety glasses while processing.

The product is only suitable for the industrial and professional use.

Further information on the subject of safety during transport, storage and handling as well as disposal can be found in the relevant safety data sheet. The current version can be accessed on the Internet at **www.adler-lacke.com**.