

NO COMPROMISES ON EQUIPMENT OR ACCESSORIES






Professional accessories

PRODUCT CATALOGUE











EMAS

ADLER does not merely pay lip service to quality, responsible action and social commitment. As is proSUn by numerous awards and certifications, for which the paint factory regularly undergoes strict inspections.



More information: www.adler-coatings.com/climate-neutral

¹ ADLER has been able to reduce its carbon footprint to a minimum through a wide range of measures. ADLER offsets any unavoidable residual emissions through the purchase of recognised climate protection certificates, thereby helping to finance new climate protection projects.

ADLER PROFESSIONAL ACCESSORIES

CONTENTS

VARNISHING	4
Paint spray guns	5
Paint spraying equipment	8
Painting equipment and supplies	10
Equipment for painting booths	13
SANDING & POLISHING	1.0
	16
Sanding machines	17
Sanding materials	19
Polishes	23
PAINTING & COATING	26
Paint brushes	27
Paint rollers	30
Masking and covering	32
CAFETY FOUNDATINT	
SAFETY EQUIPMENT	34
PUTTY, SEALANTS & GLUE	38
Putties & sealants	39
Wood glue	43
REPAIRS & MAINTENANCE	44
Repair	45
Maintenance	49

EVERYTHING YOU NEED, AND ALL IN ONE PLACE

With their Professional Accessories Catalogue, ADLER can offer their customers even more service. Professional painters and decorators will find everything they need to work with ADLER's products. The comprehensive range includes spray painting equipment together with accessories, sanding materials, polishes, coating equipment, work clothing and a range of other aids – and of course, all in ADLER's usual top quality!

IMPRESSUM: Owner and Design: ADLER-Werk Lackfabrik Johann Berghofer GmbH & Co KG, Bergwerkstr. 22, 6130 Schwaz, Tel. +43.5242.6922-0, Fax +43.5242.6922-999, info@adler-lacke. com, www.adler-lacke.com; **Photos:** ADLER Archiv, 3M, Mirka, Exel, Mako, Uwe Marx Oberflächentechnik, draco Malerwerkzeuge, Dostmann Electronics, KA.EF Schleifmittel, Esska, CARSYS-TEM Süd-Rohde, Gebol, Sundström, Trabass Farbspritzgeräte, SATA GmbH & Co.KG. Subject to alterations and printing errors. The general terms and conditions of business and delivery of ADLER-Werk Lackfabrik apply.



PAINT SPRAY GUNS



PAINT SPRAY GUN SATAJET 1000 B RP

The all-rounder of flow cup paint spray guns. The SATAjet 1000 B fulfils even the most demanding of requirements in terms of painting and varnishing results. It has a broad spectrum of nozzles and a diverse range of accessories, allowing a wide range of different coating materials to be used with outstanding results.

- ✓ Optimised high pressure technology and only minimal overspray with maximum operating speed
- ✓ Fast and easy changing of the air nozzle, with only 1.5 turns of the QC thread
- ✓ Simplified cleaning due to the smooth surface of the gun body



Description	Article no.	SU
1,3 mm	942200030017	1 piece
1,8 mm	942200030117	1 piece
2,0 mm	942200030217	1 piece

VKWG: 9556 | VKWK: 971

PAINT SPRAY GUN SATAJET 1000 B RP - ACCESSORIES

Description	Article no.	SU
Nozzle kit 1.3 mm	942300030011	1 piece
Nozzle kit 1.6 mm	942300030111	1 piece
Nozzle kit 1.8 mm	942300030211	1 piece
Nozzle kit 2.0 mm	942300030311	1 piece
Nozzle kit 3.0 mm HV	942300030411	1 piece
Multi-use cup, plastic, 0.6 l with QCC	942400030011	1 piece
Repair set for SATAjet 1000	942500030017	1 set
Pressure cup attachment kit BVD SATA	942600030017	1 set
Quick coupling nipple SATA	942700030017	5 pieces
Cleaning brushes, large	942800030017	5 pieces
SATA nozzle cleaning needles	942900030017	12 pieces
Grease for SATA paint spray guns	943000030001	1 piece
Care set for SATA paint spray guns	943100030017	1 set

VKWG: 9556 | VKWK: 971

PAINT SPRAY GUN SAMES FPRO G

Guarantees a high-quality premium finish. The FPro paint spray gun is well-suited to coating materials with a low level of viscosity and also reduces wastage of paint or varnish. It is very easy to handle and is therefore popular with painters and decorators from all sectors. The flow cup, which holds a volume of 0.6 l, is designed with frequent colour changes in mind and is easy to clean.

962600030101

1,8 mm

Materia viscosity DI		Cup	Nozzle ID in mm	Width of spray jet
< 15 s			1,4	
15 20	c	PEHD 0,6 1	1,8	20 – 30 cm
15 – 30 s			2,2	
Nozzle ID	ļ	Article no.	SU	
1,4 mm	962	2600030001	1 mioce	
1.0 mm	067	600020101	– 1 piece	



- Modular spray gun for a multitude of uses
- ✓ Ergonomic and robust design



PAINT SPRAY GUNS

PAINT SPRAY GUN SAMES FPRO G GSP

Guarantees a high-quality premium finish. With the FPro G GSP paint spray gun, additional pressure is applied to the flow cup to make it easier to create a fine spray with materials that have an especially high degree of viscosity. The paint spray gun is suitable for use in all industrial applications. The pressure-assisted flow cup has a capacity of 0.6 l.

- ✓ Pressure regulator allows pressure to be applied with precision, depending on the viscosity of the paint or varnish
- ✓ Modular spray gun for a multitude of uses
- 🗸 Ergonomic and robust design



Materia viscosity DI		Cup	Nozzle ID in mm	Widt	th of spray jet
< 15 s			1,4		
15 20 6	_	PEHD 0,6 1	1,8	2	.0 – 30 cm
15 - 50 5	15 – 30 s		2,2		
Nozzle ID	4	Article no.	SU		
1,8 mm	962	2700030001	1 piece	2	VKWG: 9556 VKWI

PAINT SPRAY GUNS SAMES FPRO G AND FPRO G GSP - ACCESSORIES

Description	Article no.	SU
Flow cup, plastic, 0.6 l for FPro G	963300030001	1 piece
Pressure-assisted flow cup, plastic, 0.6 l for FPro GSP	963400030001	1 piece
Atomiser unit for FPro G	965700030001	1 piece
Nozzle kit: nozzle + needle 1.4 mm	963000030017	1 piece
Nozzle + needle 1.8 mm	963000030117	1 piece
Nozzle + needle 2.2 mm	963000030217	1 piece
Sealing kit for FPro G	963100030017	1 set
Sealing kit for FPro G GSP	963100030117	1 set
Vortex insert for FPro series	962600030201	1 piece

VKWG: 9556 | VKWK: 971

COUPLING CONNECTOR FOR AIR SUPPLY HOSE

Coupling connector made of brass DN-7.2 to fit a $\frac{1}{4}$ " air supply hose on Kremlin paint spray guns. Fast and easy to assemble.

Article no.	SU
952800030011	1 piece


VKWG: 9556 | VKWK: 971



RPS CUP SYSTEM SATA I ADAPTER

For perfect coating results and excellent commercial viability. The single-use cup system offers four functions: mixing the paint or varnish, applying it, refilling it and storing it. To use the cup system on paint spray guns, various adapters need to be used.

- ✓ Complete system comprises a cup, a lid and a 200 µm strainer
- ✓ Faster preparation of the paint/varnish
- ✓ Reduced use of cleaning agents



1. 1.5



METEX® CUP STRAINER S 5000

For straightforward and clean application of varnishes and paints. The nylon strainer can be reused a number of times and is hung directly in the flow cup of the cup gun. It remains in the cup during painting/varnishing and during refilling, thereby enabling an efficient workflow. The strainer is resistant to solvents and is lint-free. Mesh size 190 µm.

Description	Article no.	SU
Mesh size 190 µm	964100030017	20 pieces

INSERTABLE STRAINER FOR SPRAY PAINT GUN SAMES

Strainer for flow cups of spray paint guns. The strainer is easy to handle and to insert. It can be relied upon to catch any dirt or foreign bodies.

Description	Article no.	SU
Mesh size 190 µm	963500030017	5 pieces



NYLON PAINT/VARNISH STRAINER

Strainer for the compressed air gun to sieve paints, varnishes and stains in order to prevent any particles from getting into the coating.

Description	Article no.	SU
Mesh size 190 µm	962200030017	125 pieces

NOZZLE CLEANING SET

17-part cleaning set for careful cleaning and maintenance of paint spray guns and their gun bodies. Suitable for use with all water-based and solvent-based varnishes and paints.

SU

1 set

Contents:

- ✓ 4 round brushes
- (3 with nylon and 1 with natural bristles)
- ✓ Cleaning brush (nylon bristles)
- ✓ 5 small precision round brushes (nylon bristles)

556 | VKWK: 971

VKWG: 9556 | VKWK: 971

- ✓ Fine paintbrush (nylon bristles)
- ✓ 6 precision needles



NOZZLE CLEANING NEEDLES NO. 10 WITH SPIRAL HANDLES

VKWG: 9556 | VKWK: 971

For easy cleaning of nozzles and paint spray guns, without damaging the nozzle. Ideal for nozzle sizes 11 to 18.

Article no.

969600030017

Article no.	SU
954700030117	6 pieces



PAINT SPRAYING EQUIPMENT

MINI MERKUR ES GRACO

The reliable and highly professional paint sprayer with a compact design. The Mini Merkur ES is air-assisted and especially suitable for use with very small quantities of water-based or solvent-based paints and varnishes and with frequent colour changes. The sprayer is extremely easy to handle and can therefore be put to various uses in the workshop. You will need a compressor to operate the Mini Merkur. Delivery includes: Mini Merkur 30:1, double hose 7.5 metres (air hose and coating material hose), spray gun Perform AA, nozzle AAF 412 in a nozzle holder, suction and return system, pump oil, 118 ml.

- ✓ The whole system can be filled with a very small quantity of coating material
- ✓ Produces a first-class, even finish
- ✓ Quick rinsing system can be rinsed in just a few minutes



Description	Article no.	SU
MINI MERKUR ES	940100030017	1 set
Suction strainer	940300030017	3 pieces
Suction pipe	940400030011	1 piece
Suction hose	940500030011	1 piece
Coating material container, 2 litres	940100030317	1 set


VKWG: 9556 | VKWK: 971

MAXI MERKUR GRACO

The high-performance paint sprayer with a long lifespan. Maxi Merkur is air-assisted. The air pressure regulators can be easily reached by the user, making it very simple to adjust and monitor the air pressure. The focus here is on continuous operation and on the application of larger quantities of water-based or solvent-based coatings. This paint sprayer is suitable for universal use on account of its size and weight. Delivery includes: Maxi Merkur 30:1, double hose 7.5 metres (air hose and coating material hose) incl. protective hose, spray gun Perform AA, nozzle 413 in a nozzle holder, gun filter and pump oil, 236 ml.

\checkmark	Stainless steel pump cons	truction
	with a long lifespan	

- ✓ Minimal consumption of air ensures improved efficiency
- ✓ Produces a first-class, even finish



VKWG: 9556 | VKWK: 971

MINI AND MAXI MERKUR GRACO – ACCESSORIES

Description	Article no.	SU	Description
Material filter, 100 µm	940200030017	5 pcs./packet	Spray nozzle with pre-atomiser A
Pump oil, 1 litre	940800030011		Spray nozzle with pre-atomiser A
Air cap	940900030011		Spray nozzle with pre-atomiser A
Spray nozzle AAM 211	940600030011		Spray nozzle with pre-atomiser A
Spray nozzle AAM 213	940600030111	1	
Spray nozzle AAM 409	940600030411	— 1 piece VKWG: 9556 VKWK: 971	VKWG: 9556 VKWK: 971
Spray nozzle AAM 411	940600030211		
Spray nozzle AAM 413	940600030311		
Spray nozzle AAM 513	940600030511		

g

Article no.

940700030011

940700030111

940700030211 940700030311

AAF 210

AAF 212

AAF 410

AAF 412

SU

1 piece



AIRCOMBI PAINT SPRAYER MARX

Compact and high-performance paint sprayer. The paint sprayer is made entirely out of stainless steel, making it very robust and giving it a long lifespan. The black anodised paint spray gun is comfortable to hold and allows the user to create surfaces of an outstanding quality. The optimised air flow allows a very finely atomised spray to be achieved with very little paint mist. The filter can be changed without the use of tools. Areas of application: for all water-based and solvent-based clear varnishes and coloured paints. Delivery includes: stainless steel piston pump 33:1, 7.5 m soft hose set, black anodised paint spray gun, atomiser unit with nozzle, 0.33 mm hole and 50° spray angle, with filter that can be removed by hand and swivel joint, release agent, earthing cable and instruction manual.

Montage

Aluminium tripod

Wall mounting

Aluminium tripod

Wall mounting

Aluminium tripod

Wall mounting



SU

1 set

1 set

1 set

1 set

1 set

1 set

Article no.

941100030017

941100030027

941100030117

941100030127

941100030217

941100030227



VKWG: 9556	VKWK: 971
------------	-----------

MINI MARX

Description

310 SL with suction system, rigid

310 SL with suction system, rigid

320 SL set with material container, 6 l

320 SL set with material container, 61

330 SL set with suction system, flexible

330 SL set with suction system, flexible

Compact and high-performance paint sprayer. This paint sprayer with a low-pulsation air motor is ideal for use with small quantities of clear varnishes or coloured wood paints, water-based paints and varnishes, fillers, thick-coat glazes and 2C paints and varnishes. Delivery includes: MiniMarx on an aluminium tripod, 7.5 m flexible soft hose set, rigid suction system, paint spray gun in black finish X.C, nozzle 09114 (0.33 mm hole, 50° spray angle for solvent-based coatings), release agent, earthing cable and instruction manual.

Description	Article no.	SU
Mini Marx set without HD filter	941900030017	1 set
HD filter Type II	941900030417	1 piece
Suction system, flexible	941900030317	1 set
2 l container for coating material, incl. connector	941900030217	1 set
6 l container for coating material, incl. connector	941900030117	1 set



VKWG: 9556 | VKWK: 971

AIRCOMBI & MINI MARX – ACCESSORIES, SPARE PARTS AND NOZZLES

Description	Article no.	SU
Suction system, rigid	941100030311	1 set
Container for coating material, 6 l	941100030411	1 set
Single-use foil bag for the 6-1 coating material container	941100030417	50 piece
Suction system, flexible	941100030511	1 set
Spray gun filter long, fine (red)	941300030017	10 piece
Spray gun filter long, medium (yellow)	941300030117	10 piece.
HD filter Inox 100 for clear varnishes and coloured wood paints	941300030211	1 piece
HD filter Inox 50 for fillers + thick-coat glazes	941300030311	1 piece
Nozzle seal for nozzles 09 + 12	941200030417	10 piece
Nozzle strainer for nozzle 06	941200030517	10 piece
Düsenreinigung TipClean	941200030917	1 set
Nachfüllung 1 Liter	941200030911	1 piece

Nozzles for water-based paints/ varnishes, with pre-atomiser	Article no.	SU
Nozzle 0.28 mm / 30°	941200030211	1 piece
Nozzle 0.33 mm / 40°	941200030311	1 piece
Nozzle 0.28 mm / 20°	941200030611	1 piece
Nozzle 0.28 mm / 40°	941200030711	1 piece
Nozzle 0.28 mm / 50°	941200030811	1 piece
Nozzle 0.28 mm / 55°	941200036011	1 piece

Nozzles for solvent-based paints/varnishes	Article no.	SU
Nozzle 06094 0.28 mm / 40°	941200030011	1 piece
Nozzle 09114 0.33 mm / 50°	941200030111	1 piece
Nozzle 0.23 mm / 50°	941200036111	1 piece

PAINT SPRAYING EQUIPMENT

FLUFF NEEDLE SET

For the removal of fluff, dust and dirt particles from freshly painted, still wet surfaces and parts without damaging the surface. Small needles with the finest barbs, for attaching to a spring holder handle.

Article no.	SU
966400030011	1 set
966400030117	15 pieces

VKWG: 9556 | VKWK: 971



MINI-FILE MIRKA

Ergonomically designed metal paint plane 20 x 42 mm for removing paint runs and the like. Both sides of the blade can be used (coarse & fine) and the blade is held by a magnet. Not suitable for high gloss!

Article no.	SU	
982600030011	1 piece	VKWG:





TO THE

RODUCT

SCRAPER MIRKA

Professional precision tool 48 x 28 mm for spot removal of minor laqcuer defects such as dust inclusions or paint runs.

Article no.	SU
982700030011	1 piece



SIEVE BAG

The polyamide drawstring sieve bag is very easy and practical to use. Impurities are retained on the fabric and remain in the sieve bag. The material remains free of dust and other impurities. The sieve bag can be easily attached to outlets and taps. Size: approx. 13 cm wide and 30 cm long, mesh size: 150 mµ

Article no.	SU
966800030017	25 pieces

 Simple but very effective separation process

- ✓ High flow rate
- ✓ Easy to clean

VKWG: 9547 | VKWK: 971


971



PAINT STIRRER

The paint stirrer is ideal for mixing liquid and flowing materials such as paints, coatings, etc. The stirrer builds up a strong flow from top to bottom and mixes components without introducing air.

- ✓ For drills from 500 watts
- ✓ Not resistant to solvents





VKWG: 9547 | VKWK: 971



IMMERSION OUTLET CUP

The immersion outlet cup made of aluminum is particularly suitable for checks during production or during processing. This simple method can be used to measure the viscosity of liquids such as impregnations, flood products, paints and oils. Available with outlet nozzle Ø 2 mm for flood products, Ø 4 mm and Ø 6 mm for a variety of paints, capacity 100 ml.

✓ With bow han	dle
----------------	-----

For quick measurement of the outflow time



RODUCT



Designation	Article no.	SU
Ø 2 mm	982900030011	1 piece
Ø4mm	982900030111	1 piece
Ø6mm	982900030211	1 piece

THERMO-HYGROMETER

Ergonomically shaped measuring instrument for indoor climate measurements with dew point display. Air temperature and humidity are measured quickly and easily, critical values are detected quickly.

Article no.	SU
983300030017	1 piece

✓	Simultaneous display	
	of 2 measured values	

VKWG: 9547 | VKWK: 971





✓ High measurement accuracy

VKWG: 9547 | VKWK: 971

✓ Storage of MIN and MAX values



PH METER INCL. ACCESSORIES

The measuring instrument for determining the pH value and temperature of flood products is splashproof. With the permanently connected rod electrode, it is particularly suitable for regular production checks and for measurement in containers. Easy operation due to the one-touch calibration function. Dimensions: 225 x 35 x 20 mm

Description	Article no.	SU
pH meter incl. batteries	982800030017	1 piece
Calibration solution pH 7.00	982800030111	250 ml
Calibration solution pH 10.01	982800030211	250 ml
Storage solution sensor	982800030311	55 ml
Protein cleaning solution	982800030411	55 ml



RODUCT VIDEO ✓ Measuring range

- pH 0 to 14.00 pH, accuracy +/- 0.1 ✓ Automatic calibration possible
- ✓ Hold function and battery status indicator



MEASURING COMB

Practical tool for determining the film thickness of wet films (e.g. thick-film transparent wood finishes). The film thickness is measurable between $25 - 2000 \,\mu$ m.

Article no.	SU
961600030011	1 piece



VKWG: 9547 | VKWK: 971




VKWG: 9547 | VKWK: 971

PAINT SPRAYING EQUIPMENT

DIGITAL PAINT SCALE 0,2 BIS 30 KG

Digital paint scale for fast and reliable weighing. The digital table scale with a weighing range of 0.2 to 30 kg guarantees fast and reliable weighing. Paint and hardener can be weighed and mixed in 1 g increments.

- ✓ Display switchable kg / g / piece
- ✓ With stainless steel platform 218 x 260 mm
- ✓ Supplied with battery,





Description	Article no.	SU
Table scale	952900030011	1 piece
Plastic cover	952900030111	1 piece
Replacement charging cable	952900030211	1 piece

VKWG: 9547 | VKWK: 971

VKWG: 9400 | VKWK: 972

PLASTIC CUP WITH LID

For mixing and storage of small quantities (e.g. for sample productions).

Description	Article no.	SU	
300 ml	962100030017	1 piece	

DISPOSABLE INSERT MIXING CUP

Disposable system for mixing, pouring and storing varnishes. On the outside there are clearly legible measuring scales (1:1 to 8:1, 20:1 and 10:7). Matching lids available separately.

- ✓ Easy to use
- ✓ Various scales for exact mixing of varnishes



Cup	Article no.	SU
1,31	965800030017	200 sums
2,231	965800030117	200 cups

Lid Article no. SU				
		Lid	Article no.	SU
1,31 952700030017	_	1,3 l	952700030017	
50 lids	S	2,231	952700030117	50 Has





PASTEUR PIPETTE

Chemical-resistant 2.2 ml plastic pipettes for precise dosing of the smallest amounts of liquid.

Article no.	SU
957900030017	500 pieces

VKWG: 9547 | VKWK: 971

PLASTIC MEASURING CUP

For measuring varnishes, stains and other liquids. Available in 1 litre or 3 litres.

Größe	Article no.	SU	
11	961700030011	1 minco	
31	961700030111	1 piece	



Transparent cloudy PE film (200 MY) for achieving a natural concrete look / a concrete effect Dimensions: 1 m x 25 m, 200 MY.

Article no.	SU
980900030001	1 roll

VKWG: 9547 | VKWK: 971



EQUIPMENT FOR PAINTING BOOTHS


VKWG: 9547 | VKWK: 971

GRATING COVER WHITE

This plastic grating can simply be fitted over the spray booth's grating, thus preventing contamination from fine paint spray. The cover is easily replaceable. Dimensions: $497.5 \times 501.6 \times 35$ mm. Mesh size: 30×30 mm.

Article no.	SU	
967200030017	17 piece	

VKWG: 9556 | VKWK: 971



ANDREAE-FILTER

The 60 mm thick, dimensionally stable filters improve the separation level in the spray booth by means of the centrifugal force separation principle. Due to the higher colour storage capacity and a constant flow resistance during paint mist collection, the conditions of use of the booth are more stable and homogeneous.

Size	Article no.	SU
0,75 x 13,35 m	967300030011	1 carton
1 x 10 m	967300030211	1 carton



EQUIPMENT FOR PAINTING BOOTHS

SURFACE FILTER

The filter is made of a high performance non-woven fabric and is constructed so that it achieves optimum filter performance and dust storage capacity at a low pressure differential. The mat is actively adhesive and provides security against the ingress of dust. The fibre layer density increases on the clean air side and thus improves the storage of paint and dust particles.

✓	Moisture	and ter	nperatur	e resistant	t

✓ Protects against paint deposits



Size	Article no.	SU
0,75 x 20 m	968800030011	1 roll
1 x 20 m	968800030211	1 roll

VKWG: 9556	VKWK: 971

SURFACE FILTER WATER VARNISH

High-quality filter especially for the filtration of waterbased varnish particles in spray booths. The surface filter guarantees a high separation level with a low pressure loss at the same time. This is made possible by its extremely fine, very elastic glass fibres.

Size	Article no.	SU
0,75 x 20 m	969700030011	1 roll
1 x 20 m	969700030111	1 roll

- ✓ High storage capacity and long pot life
- ✓ for motors and exhaust ducts
- ✓ Saving of energy costs due to high inherent stability



VKWG: 9556 | VKWK: 971

MASKING FILM

Self-adhesive, UV-resistant protective film for full-surface masking of e.g. spray booths and flood installations. The resistant LDPE film can be used indoors and outdoos and protects from mechanical and chemical damage.

Size	Article no.	SU
0,5 x 100 m	969400030011	1 roll

 ✓ Professional protection of systems and for various types of work
✓ Resistant to water, thinners and oil

✓ Temperature resistant up to 40° C

0

VKWG: 9547 | VKWK: 971

SPRAY GUN CLEANING DEVICE IMAGO SMART MARX

The spray gun cleaning device made of stainless steel can clean cup and hose type spray guns inside and out. Compact, with only one wash chamber; dimensions (W x D x H): 640 x 510 x 370 mm.

✓	Automatic cleaning an
	clear rinsing

- ✓ Solvent and water cleaning possible





Description	Article no.	SU
iMAGO Smart	981100030011	1 piece
Base	981100030111	1 piece



COAGULATION SET MARX

Set for the treatment of dirty paint water resulting from the cleaning of paint recovery systems, application equipment or flooding systems for the professional disposal in the sewage system. By adding flocculant and stirring with the coagulation ✓ space-saving stick, the paint water settles and can be filtered.

Lieferumfang: • 2 x 30 litre plastic containers

- 1 perforated metal top section with supporting triangle
- 10x coarse filters
- 1x fine filter
- 25 kg flocculant
- 1 pneumatic coagulation stick

Description	Article no.	SU
Complete set	941600030017	1 set
Fine filter	941600030117	1 piece
Coarse filter	941600030217	10 pieces
Flocculant	941600030301	25 kg
Perforated metal top section	941600030401	1 piece

✓ easy to use

✓ low investment costs – highly efficient





VKWG: 9556 | VKWK: 971

KIPP-BOY CONTAINER POURER

The Kipp-Boy made of solid sheet steel is ideal for filling canisters in an energy-saving manner. The pourer can be easily attached to the floor or wall. As a result, it is always well positioned.

SU Article no. 981000030011

1 piece VKWG: 9547 | VKWK: 971

- ✓ For trouble-free and power-saving filling of canisters
- ✓ Adjustable for containers up to 30 kg



CLEANING PAPER SOFT 2-PLY WHITE

2-ply cellulose paper for gentle cleaning and maintenance of delicate surfaces. The cleaning paper is suitable for wet and dry wiping.

Article no.	SU
966100030017	2 rolls
	of 900 sheets

✓ Lint-free cleaning cloth roll

✓ Volume embossed and perforated



VKWG: 9547 | VKWK: 971

WIPE AND POLISHING CLOTH

Solvent-resistant wipe and polishing cloth for cleaning and polishing highly sensitive materials. The delicate polishing cloth consists of 100 % viscose non-woven fabric.

Article no.	SU
966200030011	1 roll

✓ For cleaning and polishing

- ✓ Solvent-resistant
- Embossed and perforated



VKWG: 9547 | VKWK: 971



SANDING MACHINES



DEROS-ECCENTRIC 650CV ELECTRIC MIRKA

The Mirka DEROS eccentric is low-maintenance, reliable and durable. Perfect for lacquer grinding work. Thanks to the symmetrical design, you can work just as comfortably with the left as with the right hand. The very low vibration and volume values make the work easier and protect the health of the user.

Stroke	Article no.	SU
2,5 mm	954000030001	1 piece
5 mm	954000030101	1 piece
Description	A	C 11

DescriptionArticle no.Ersatzkabel 230 V; 4,3 m954000030111

✓	Vibration sensor and
	and Bluetooth connectivity*

- Extraction with industrial vacuum cleaners
- ✓ No transformer required




GRINDING DISC MIRKA

Grinding disc Ø 150 mm for Deros eccentric with central air inlet. The channels at the edges of the pad direct fresh air into the centre of the pad. This efficiently removes dust from the centre of the pad. The formation of dust knots is considerably reduced.

- ✓ For 6, 7 and 15-hole as well as Abranet discs
- ✓ 5/16" thread

1 piece



Description	Article no.	SU
Medium	954100030001	1 piece
Hard	954100030101	1 piece

VKWG: 9540 | VKWK: 971

VKWG: 9540 | VKWK: 971

ABRANET PROTECTIVE LAYER

To prevent damage to the grinding pad, protective layers \emptyset 150 mm made of particularly resistant material are a great advantage. The protective layer is attached to the velcro coating of the grinding pad, underneath the grinding wheel.

Article no.	SU	
968900030017	5 pieces	VKWG: 954

✓ Double-sided velcro coating



BLACK DRY GUIDE COAT POWDER MIRKA

Dry guide coat powder is used for visual inspection of surfaces to be ground. The finest irregularities and smallest imperfections become visible. This gives the user more confidence when carrying out grinding by hand or machine.

Article no.	SU
953900030011	1 piece

- ✓ With flexible hand block
- 🗸 Can be ground immediately
- ✓ For light surfaces

VKWK: 971



VKWG: 9540 | VKWK: 971

SANDING MACHINES

HAND BLOCK WITHOUT SUCTION

The hand block 78 x 87 x 148 mm without suction supports ergonomic grinding. Suitable for grinding grids DN 150 mm.

Article no.	SU	
954800030111	1 piece	VKWG: 9540 VKWK: 97

HAND SANDER

Ergonomically shaped hand sander 103 x 210 mm for fatigue-free hand sanding with sandpaper sheets and rolls. The quick-action clamping devices make it easy to clamp the sandpaper.

Article no.	SU
955600030011	1 piece

VKWG: 9540 | VKWK: 971

VKWK: 971





VARNISH SCRAPER

The blade is used for removing old layers of varnish, waxes or oils and for correcting small irregularities in the varnish.

Article no.	SU	
950400030011	1 piece	VKWG: 9540



BRASS WIRE BRUSH CRIMPED 4-ROWS

For brushing and cleaning old, weathered wooden surfaces. The slightly curved wooden handle sits well in the hand and enables precise work. The finely crimped brass wire pins remove pore-deep paint residues.

Article no.	SU
959500030011	1 piece

VKWG: 9540 | VKWK: 971



BRASS WIRE BRUSH WITH STRAP

The brush approx. 215 x 100 mm is used for brushing and cleaning old, weathered wooden surfaces and for brushing out porous woods. The soft brass wire pins remove pore-deep paint residues and loose wooden parts.





NATURAL FIBRE BRUSH

The handmade scrubbing brush 165 x 37 mm with natural fibres (length 22 mm) is suitable for thorough cleaning of wooden and plastic surfaces.

Article no.	SU
954900030011	1 piece

VKWG: 9540 | VKWK: 971



SANDING MATERIALS



ABRANET ECCENTRIC GRINDING GRID

This universal grinding grid enables almost dust-free grinding of varnishes, plastics, soft aluminium, softwood, etc. The numerous holes improve the dust extraction. Available in grit size 80 – 1000, dimensions: Ø 150 mm.

Grit	Article no.	SU
Grain size 60	955400030017	25 pieces
Grain size 80	955400030117	
Grain size 100	955400030217	Foriere
Grain size 120	955400030317	
Grain size 150	955400030417	50 pieces
Grain size 180	955400030517	
Grain size 240	955400030617	

- ✓ Optimal for intermediate lacquer grinding
- Smoothing before and after all primers
- ✓ Suitable for profiles, edges and folds



Grit	Article no.	SU
Grain size 320	955400030717	
Grain size 360	955400030817	
Grain size 400	955400030917	
Grain size 600	955400036017	50 pieces
Grain size 800	955400036117	
Grain size 1000	955400036217	

VKWG: 9540 | VKWK: 971

VELCRO-SANDING DISCS 15-HOLE

These sanding discs on paper base are an excellent abrasive for universal sanding of wood, paint or varnish, filler and plastic. The 15-whole pattern aids optimal dust extraction. Dimensions: Ø 150 mm.

Grit	Article no.	SU
Grain size 120	953700030017	
Grain size 150	953700030117	
Grain size 180	953700030217	100 pieces
Grain size 240	953700030317	
Grain size 320	953700030417	

✓ Using on random orbital sanders, hand-sanding pads with a strap or hand-sanding blocks



VKWG: 9540 | VKWK: 971

FINISHING PAPER SHEET 3M

3M 618 finishing paper 230 x 280 mm on particularly flexible A-paper backing. It is very adaptable and achieves excellent grinding results in profile lacquer grinding applications.

Grit	Article no.	SU
Grain size 150	955300030017	
Grain size 180	955300030117	E0 minsor
Grain size 220	955300030217	50 pieces
Grain size 240	955300030317	

Grit	Article no.	SU
Grain size 280	955300030417	
Grain size 320	955300030517	50 pieces
Grain size 400	955300030617	

VKWG: 9540 | VKWK: 971

✓ Optimal for profile lacquer

✓ Open, dust-repellent dispersion

grinding applications

SANDING MATERIALS

FINISHING PAPER ROLL 3M

3M 618 finishing paper roll 50 m x 115 mm is an excellent lacquer grinding tool. The open silicon carbide grain scattering and a dust-repellent coating prevent premature clogging. For grinding by hand as well as on orbital grinding machine.

Grit	Article no.	SU
Grain size 150	951300030011	
Grain size 180	951300030111	
Grain size 220	951300030211	1 roll
Grain size 240	951300030311	
Grain size 280	951300030411	

✓ For manual grinding and for the orbital grinder

- ✓ No premature clogging
- ✓ Open, dust-repellent coating



VKWG: 9540 | VKWK: 971

SANDPAPER – GREY-WHITE

Premium abrasive on a latex paper base, particularly suitable for sanding painted or varnished surfaces and hard surfaces. Colour: grey-white; use: wood, filler, paint or varnish, putty, plastic; available in sheets and rolls.

Designation	Grit	Article no.	SU
	Grain size 180	983000030417	
Sheet	Grain size 220	983000030517	
	Grain size 240	983000030617	50 pieces
230 x 280 mm	Grain size 280	983000030717	
	Grain size 320	983000030817	

Description	Grit	Article no.	SU
	Grain size 180	983100030417	
Roll	Grain size 220	983100030517	1 roll
50 m x 115 mm	Grain size 240	983100030617	TION
	Grain size 280	983100030717	





VKWG: 9540 | VKWK: 971

ABRASIVE FLEECE

The grinding grains are evenly distributed over the entire fibre. The fleece 150 x 230 mm thus offers very good grinding properties and is suitable for use on dry and wet substrates. 🗸 Even grinding result

✓ On wet and dry substrates



ColourGritArticle no.SUredvery fine9640003001710 piecesgreyultra fine964000030117

VKWG: 9540 | VKWK: 971



ABRASIVE FLEECE ROLL

The abrasive fleece 10 m x 100 mm is ideally suited for cleaning, deburring, matting or achieving a decorative line pattern on all varnishes, species of wood, ferrous and non-ferrous metals and plastics.

- ✓ Removes impurities, oxidation and dirt
- ✓ Can be used on dry and wet substrates

VKWG: 9540 | VKWK: 971



Article no.	SU
965900030111	1 roll

VKWG: 9540 | VKWK: 971

GRINDING SPONGE BLACK

This universal hand pad 100 x 70 x 27 mm is suitable for grinding profiles, edges and folds. It can be used for intermediate varnish grinding, smoothing before and after all primers as well as for fine wood grinding.

Grit	Article no.	SU	
Grain size 150	965600030117	EQ mineras	
Grain size 220	965600030217	50 pieces	

GRINDING SPONGE WHITE

The white coated sponge $100 \times 70 \times 27$ mm can be used universally and is suitable for grinding profiles, edges and folds on light woods and colours. It can be used for intermediate varnish grinding, smoothing before and after all primers as well as for fine wood grinding.

Grit	Article no.	SU
Grain size 100	969900030017	
Grain size 150	969900030117	50 pieces
Grain size 220	969900030217	





GRINDING MAT BLACK


The very versatile grinding mat 123 x 98 x 12 mm is particularly suitable for grinding edges and narrow radii.

Grit	Article no.	SU
Grain size 100	964400030117	EQ pieces
Grain size 100	964400030217	50 pieces

✓ Particularly flexible in adaptation

✓ Easy to clean

VKWG: 9540 | VKWK: 971



VKWG: 9540 | VKWK: 971

GRINDING MAT WHITE

White, flexible grinding mat 123 x 98 x 12 mm, specially designed for grinding light-coloured woods and light-coloured varnish colours.

Grit	Article no.	SU
Grain size 100	969800030017	
Grain size 150	969800030117	50 pieces
Grain size 220	969800030217	

- Powdered white on both sides
- ✓ Particularly flexible in adaptation, even with edges and tight radii



VKWG: 9540 | VKWK: 971

SANDING MATERIALS

SOFT SANDPAPER ON ROLLS

The flexible finishing paper 115 x 125 mm on a 4 mm foam backing can be used for dry and wet grinding. Due to its flexibility, it is especially suitable for hand grinding of corners, angles, profiles, moulded parts and surfaces.

Grit	Article no.	SU
Grain size 150	953600030017	
Grain size 220	953600030217	1 roll á 25 m
Grain size 320	953600030517	

VKWG: 9540 | VKWK: 971



GRINDING BLOCK COMBI

The grinding sponge 98 x 69 x 26 mm, grit 220, rounded on one side and bevelled on the other, is ideal for individual, difficult processing in different areas of application. It can be used for polishing varnish, paint, filler, filling paste, plastic, metal and wood finishing.

Grit	Article no.	SU
Grain size 220	953000030017	10 pieces

\checkmark	COMBI grinding block:
	round and oblique

VKWG: 9540 | VKWK: 971

 Material: medium strength polyurethane foam



MICROFIBRE CLOTH GREEN 3M

The 3M microfibre cloth is suitable for cleaning sensitive surfaces. Due to the special fibre structure, the microfibre cloth has an extremely high absorbency of dirt, dust and grease residues. Available in green, 360 x 320 mm.

Article no.	SU	
967700030017	5 pieces	VKWG

VKWG: 9542 | VKWK: 971



TACK CLOTH

The lightly adhesive perforated fabric is completely free of silicone, wax and solvents and can be used universally. Due to the low adhesiveness and surface texture with depressions, the grinding dust is easily removed. Dimensions: approx. 320 x 400 mm.

Article no.	SU
953100030017	50 pieces

- ✓ For dry cleaning of various workpieces and materials
- Can be used universally and has to be disposed of in an environmentally friendly way



VKWG: 9542 | VKWK: 971

POLISHES



NATURAL LAMBSKIN 3M

3M Perfect-it III polishing fleece Ø 133 mm is suitable for mechanical polishing of scratch-resistant varnishes. Use of the lambskin ensures better performance of the grinding paste. After use, the attachment can be cleaned with compressed air and is reusable.

Article no.	SU
967600030017	2 pieces

✓	Preferably use with coarse
	grinding paste

✓ With velcro fastener

VKWG: 9542 | VKWK: 971

VKWG: 9542 | VKWK: 971



FELT POLISHING DISC 3M

3M felt polishing disc Ø 127 mm is ideal for polishing the high-gloss surface in combination with 3M grinding pastes. Due to the special design, the felt polishing disc offers a longer service life.


Article no.	SU
967900030017	5 pieces

- Preferably use with coarse grinding paste
- ✓ With velcro fastener



FOAM POLISHING PAD NAPPED 3M

3M Extra Life pad Ø 133 mm is an orange waffled polishing foam with velcro backing. The pad is suitable for removing microscratches. Due to the special waffle structure it cools better.



\checkmark	Preferably use with extra
	fine grinding paste



VKWG: 9542 | VKWK: 971

TRIZACT FINE GRINDING WHEEL 3M

For fast removal of varnish runners and orange peel. Guarantees even removal with a long pot life. When used, new, sharp abrasive grains are constantly released, thus maintaining a consistently fine roughness depth throughout the entire grinding process.

- ✓ Pyramidal structure, longer service life
- Even removal with a long pot life



Grit	Article no.	SU
Grain size 3000	967400030017	15 pieces

POLISHES

HOOKIT GRINDING DISC 3M

Flexible abrasive Ø 150 mm with high adaptability to design edges and curves. Allows grinding of difficult areas in both wet and dry grinding processes. The use of this material enables faster and more even removal with less deep scratches. Grinding grain: aluminium oxide anti-stick coating.

✓ Very good grinding performance

VKWG: 9540 | VKWK: 971

VKWG: 9542 | VKWK: 971

✓ Excellent finish



Grit	Article no.	SU
Grain size 1000	968400030017	
Grain size 1500	968400030117	25 pieces

EMERY CLOTHS 3M

3M Finesse-it Trizact Film grinding discs Ø 33 mm are suitable for fast grinding out of fine scratches. After processing with the conventional abrasive and before the first polishing step.

Grit	Article no.	SU
Grain size 3000	968100030017	1 sheet of 100 pcs.



TRIZACT GRINDING BLOCK

3M Trizact grinding block Ø 32 mm can be used in conjunction with all 3M emery cloths on both sides. The solid rubber block is used for surface grinding and has a soft layer for regrinding.

Article no.	SU
968500030011	1 piece

VG: 9542 | VKWK: 971

NANO EASY CLEANER

Cleaning sponge for quick and easy cleaning of paint surfaces. The special nano coating ensures that paint mist can be removed easily.


Article no.	SU	
953800030011	1 piece	

VKWG: 9540 | VKWK: 971

COARSE GRINDING PASTE 3M

3M Perfect-it III PLUS grinding paste produces a high level of gloss at high performance. The coarse grinding paste offers very good wiping characteristics and can be used for a long time.

Article no.	SU	
968200030011	1 kg	





VKWG: 9542 | VKWK: 971







EXTRA FINE GRINDING PASTE 3M

3M Perfect-it III Extra Fine PLUS grinding paste is particularly suitable for removing small and very small scratches, swirls and hazes (spray mist, grinding grooves, spraying transitions).

Article no.	SU
968300030011	11

KWC- 95/2	1.VKWK- 071

VKWG: 9542 | VKWK: 971

✓ No streaks with dark varnishes

✓ Suitable for machine processing



HIGH-PERFORMANCE WAX 3M

3M Polish Rosa high-performance wax is used as the final work step to protect the highly polished paint surface.

Article no.	SU
967800030011	11

✓ Increases the longevity of the glo	ss level

✓ Good processing







PAINTBRUSHES



SPECIAL BRUSH SOLVAMAXX PLUS

Professional quality brush for solvent-based varnishes and transparent wood finishes. This special brush delivers perfect coating results without visible brush strokes. It has very fine polyester bristles and is solvent resistant.

Size	Article no.	SU
50 mm	952500030011	1 piece
100 x 30 mm	952500030111	1 piece



WHITEWASH BRUSH SOLVENT

Wall brush made of high-quality polyester bristle mixture with plastic body and handle for the use of solvent-based wood preservation products.

Size	Article no.	SU	
70 x 30 mm	959900030017	12 mineros	
120 x 30 mm	959900030117	12 pieces	

GLAZE BRUSH HS 50

High-quality brush for applying transparent wood finishes. The brush made of Chinese bristle is especially suitable for the renovation and repainting of windows with Pullex Fenster-Lasur. The short bristles accentuate the grain of the wood.

Size	Article no.	SU	
50 mm	952300030011	1 piece	VKWG: 954

AQUAMAXX PLUS

The brushes of the Aquamaxx series are ideal for water-based paints and varnishes. They deliver a perfect coating result. The brushes are equipped with an ergonomic wooden handle and exclusive polyester filament.

Size	Article no.	SU
40 mm	950800030011	
60 mm	950800030111	1 piece
100 x 30 mm	950800030211	

A		
High elasticity	, dimensionall	y stable, supple

1 | VKWK: 971

✓ Excellent colour absorption with even colour distribution

/G: 9541 | VKWK: 971

WG: 9541 | VKWK: 971

✓ Durable



VKWG: 9541 | VKWK: 971

FLAT BRUSH ULTIMO

Professional brush for all water-based and solventbased paints and varnishes. The brush is designed with a hardwood handle and a stainless steel ferrule. Due to the high paint absorption and paint release, it produces a very good colour gradient and finish.

Size	Article no.	SU
30 mm	957700030011	
40 mm	957700030111	
50 mm	957700030211	1 piece
60 mm	957700030311	
80 mm	957700030411	



VKWG: 9541 | VKWK: 971



PAINTBRUSHES

FINE PAINT BRUSH 150/P1

This particularly fine bristle brush is especially suitable for repair work on various substrates. Available in 1.5 mm width. ✓ Enables precise work

VKWK: 971

✓ Precise application

Article no.	SU
952400030011	1 piece

VKWG: 9541 | VKWK: 971

FLOOR BRUSH FOR OILS

This special brush is suitable for the application of floor oils. Thanks to the high-quality natural bristles, the oil is optimally massaged into the wood.

Size	Article no.	SU	
220 mm	952600030011	1 piece	VKWG: 9541



STAINING BRUSH WITH LEATHER INSERT

The coarse brush is suitable for brushing out waxed surfaces. The use of leather quickly results in a smooth surface and the desired shine. Especially for Arova Wax (wax stain).

Article no.	SU
952000030011	1 piece

VKWG: 9541 | VKWK: 971

41 | VKWK: 971



STAIN BRUSH OVAL

The fine horsehair brush is suitable for brushing out waxed surfaces and leaves an elegant shine. The fine bristles create a uniform surface without leaving scratches. Especially for Arova Wax (wax stain).

Article no.	SU	
951100030011	1 piece	VKWG: 95



BRUSH FOR STAINING & DUSTING

The fine brush is used to distribute suitable water stains. It ensures that the stain penetrates the pores and is evenly distributed. Can also be used for dusting and cleaning all surfaces. Bristle length 60 mm.

Size	Article no.	SU
160 x 32 mm	952100030011	1 piece



VKWG: 9541 | VKWK: 971



0.33220

TO THE

VIDEO

PRODUCT

PAINTING AND IMPREGNATION MACHINE JELLY

Article no.

941700030017

941700030117

941700030217

941700030317

941700030417

941700030517

The compact dimensions of the impregnation machine allow easy assembly and disassembly in limited spaces in the workshop or on the construction site. 1 to 4 sides of wooden elements (size max. 300 x 90 mm) can be painted simultaneously. The result: an optimal, uniform impregnation all around. Dimensions: 70 x 61 x 127 cm (L x W x H)

Description

Painting and impregnation machine

Foam rollers

Roll holder

Brushes

Brush holder

Drain taps

✓	recommended ADLER products:
	Lignovit Lasur and similar

- ✓ capacity: approx. 200 m² per hour
- ✓ spare parts available

SU

1 set

6 pieces

4 pieces

12 pieces

8 pieces

3 pieces



VKWG: 9541 | VKWK: 971

HOLDER AND PADS FOR OIL APPLICATION

Pad holder 13 x 9 cm with ergonomic handle together with the yellow oil pad for manual oil processing.

Description	Article no.	SU
Oil pad holder	953200030111	1 piece
Oil pad	953300030117	10 pieces



VKWG: 9541 | VKWK: 971

PAINTING PADS

Practical tool for applying coatings, 6 x 3 cm for narrow wooden components and windows. Ideal for the efficient application of care products and cleaners. The adjustable spacer ensures that the correct distance from the glass is maintained and prevents coating of the silicone joint.

Article no.	SU
955500030211	1 piece

VKWG: 9545 | VKWK: 971



BROAD PAINTING PADS

Surface painting pad 20 x 8 cm for emulsion paints, wood paints/varnishes and glazes, with a fixed angle. The painting pad is very versatile and can be used with any wood substrate.

- ✓ Fast and even application
 - ✓ Ideal for large surfaces, such as exterior doors or steps



Description	Article no.	SU
Painting pads	955500030311	1 minco
Replacement pads	955500030411	1 piece

PAINT ROLLERS

CONCAVE SUPERFLOCK VARNISHING ROLLER

This universal varnish roller (Ø 35 mm) is suitable for rolling water-based varnishes and low-solvent synthetic resin varnishes on fine surfaces. It leaves no rolling marks and has hair-thin fibres that absorb the colour very well.

- ✓ Application without rolling marks or paint edges
- ✓ Good colour absorption due
- to separate fine fibres



Size	Article no.	SU
100 mm	958500030017	10 pieces

VKWG: 9543 | VKWK: 971

PROFESSIONAL FOAM VARNISHING ROLLER

This varnishing roller consists of an extra fine foam and is therefore suitable for the application of synthetic resin varnishes and is conditionally solvent-resistant. ✓ No bubbles when varnishing
✓ Made of extra fine foam

VKWG: 9543 | VKWK: 971



Size	Article no.	SU
100 mm	958400030017	10 piece



High-quality paint roller made of microfibre yarns and a polyester blend with a shearing height of 5 mm. The short hair roller is suitable for the application of acrylic and alkyd resin lacquers, PU varnishes and oils.

Size	Article no.	SU
100 mm	950900030017	10 piece
250 mm	950900030117	

- ✓ No streaking and rolling marks
- ✓ Good colour flow



VKWG: 9541 | VKWK: 971

EXQUISITE-PAINT ROLLER ULTIMO

Non-padded paint roller (\emptyset 102 mm) for the application of wall and facade paints. It is suitable for application on smooth or slightly structured substrates and achieves a uniform result.



Size	Article no.	SU
250 mm	958900030011	1 piece

VKWG: 9541 | VKWK: 971



PLUG-IN BRACKET FOR VARNISH ROLLER

This bracket should be used in conjunction with the varnishing and painting rollers. It is made of metal with a plastic handle.

- ✓ Handle fits well in the hand
- ✓ Rustproof metal



Size	Article no.	SU
100 mm	951200030011	1 piece
250 mm	951200030111	

VKWG: 9541	VKWK: 971
------------	-----------

PROFESSIONAL PAINT TRAY

Universal paint tray or varnishing tray made of shatterproof and solvent-resistant plastic. Suitable for the absorption of paints and varnishes with a small paint roller. The varnish tray is ribbed, stackable and can be hung up.

Size	Article no.	SU
160 x 310 mm	956700030011	1 piece
210 x 220 mm	956700030111	



VKWG: 9541 | VKWK: 971



MASKING AND COVERING

PRO TAPE MASK 458 MASKING TAPE

Professional quality masking tape (length 50 m). This universal adhesive tape provides clean colour line edges and is heat resistant up to 80° C.

Width	Article no.	SU
19 mm	955900030017	48 pieces
30 mm	955900030117	32 pieces
50 mm	955900030217	24 pieces



VKWG: 9547 | VKWK: 971

PRO TAPE GOLD 488 MASKING TAPE

Professional quality masking tape for sharp edges indoors and outdoors, UV-resistant and heat-resistant up to 125° C.

Width	Article no.	SU
19 mm	956100030211	
25 mm	956100030011	1 piece
38 mm	956100030111	




VKWG: 9547 | VKWK: 971

BLUE UV-RESISTANT MASKING TAPE 3M

Professional quality masking tape (length 50 m) suitable for use on smooth surfaces such as windows and furniture surfaces. It is also suitable, for example, for two-colour coatings and repair work. Can be removed without residue within 1 week in sunlight.

Width	Article no.	SU
30 mm	951500030111	1 minco
48 mm	951500030011	1 piece



VKWG: 9547 | VKWK: 971

MASKING TAPE WHITE LINE MIRKA

Impregnated paper-based masking tape (length 50 m) for general masking-applications. The natural rubber adhesive provides instant adhesion and residue-free removal.

Width	Article no.	SU
18 mm	945200030011	1 piece
30 mm	945200030111	1 piece
48 mm	945200030211	1 piece

- ✓ Temperature resistance up to 100°C
- ✓ Suitable for varnish-, wood-, metal and plastic-surfaces



VKWG: 9547 | VKWK: 971



MASKING TAPE BLUE LINE MIRKA

Waterproof and UV-resistant masking tape (length 50 m) for indoor and outdoor masking applications.

- ✓ Temperature resistance up to 100°C
- ✓ Residue-free removal



VKWG: 9547 | VKWK: 971

MASKING PAPER WITH ADHESIVE TAPE

Masking paper and adhesive tape in one. For covering and masking small, narrow surfaces such as window sills. The adhesive tape prevents the masking paper from slipping.

Size	Article no.	SU
20 m x 18 cm	945000030011	1 roll



VKWG: 9547 | VKWK: 971

✓ Highly tear-resistant

MASKING PAPER ON ROLLS

High-quality masking paper for safe covering during painting and varnishing work. Can be used for larger surfaces such as furniture and floors.

Size	Article no.	SU
50 m x 30 cm	945100030011	1 roll

✓ Tread-resistantt



VKWG: 9547 | VKWK: 971

SAFETY EQUIPMENT

PAINT OVERALL 3M*

The overall protects against dirt and paint stains during varnishing and painting work and is breathable at the same time. An elastic band is worked into the hood, sleeves and legs.

Size	Article no.	SU	
L	957300030011		
XL	957300030111	1 piece	
XXL	957300030211		



PAINTING OVERALLS MULTI-USE*

The reusable overall with hood is dirt and water repellent. The antistatic and silicone-free material is washable and ironable and comfortable to wear.

✓ Extremely tear-resistant material

VKWG: 9544 | VKWK: 971

VKWG: 9544 | VKWK: 971

✓ Multiple use

Size	Article no.	SU	
L	957100030011		
XL	957100030111		
XXL	957100030211	1 piece	
3XL	957100030311		
4XL	957100030411		



FFP2 RESPIRATOR MASK*

The ergonomic FFP2 respirator mask is comfortable to wear, due to the elastic straps, and easy to adjust using the nose strip. It complies with the FFP2 EN149:2001 and A1:2009 FPP2 NR standards and is CE certified (CE 2163). The wearer is protected from harmful particulate substances such as wood and paint dust, as well as droplet infection from viruses and bacteria.

Article no.	SU	
960100030217	20 pieces	VKWG

9544 | VKWK: 971

- ✓ Hygienic respirator mask as personal protective equipment
- ✓ Packaged individually



FFA2P3D RESPIRATOR MASK 3M*

The special construction of these masks offers the wearer maximum protection and comfort against gases and vapours as well as particles according to protection level FFA2P3D (EN 405:2002). The low breathing resistance and an enormous field of vision ensure comfortable and pleasant wearing.

✓ Low breathing resistance

✓ Large field of vision



VKWG: 9544 | VKWK: 971

Designation	Article no.	SU
Respirator mask (one-way) FFA2P2D	960200030011	1 piece
Cleaning cloths	960200030117	40 pieces

* Please refer to the Safety Data Sheet of the product to be processed for detailed information on the appropriate protective equipment



REUSABLE HALF-FACE MASK SET SR 900 SUNDSTRÖM*

รม

The SR respirator box is the ideal starter kit. The SR 900 reusable half-face mask included in the box has two exhalation valves ensuring particularly low breathing resistance. The cupped face-piece provides a secure and comfortable fit. By using the continuously adjustable headband, the mask can be adjusted individually. The practical storage box protects the half mask rom impurities and damage.

Size

Scope of delivery of SR respirator box:

✓ 1 pc. SR 900 half-face mask, size M

VG: 9544 | VKWK: 971

- ✓ 1 pc. SR 510 P3 R particle filter
- ✓ 5 pcs. SR 221 pre-filter
- ✓ 1 pc. Pre-filter holder
- ✓ 1 pc. SR cleaning cloth
- ✓ 1 pc. Instructions





М	962400030017	1 set	
L	962400030021	1 Stk. (ohne Filter)	VKW

Article no.

REPLACEMENT FILTERS AND ACCESSORIES HALF-FACE MASK SUNDSTRÖM

Designation	Description	Article no.	SU
Particle filter SR 510*	protects against all types of particulate contamination (every 2 – 4 weeks)	962400030101	1 piece
Gasfilter SR 218-3*	sfilter SR 218-3* Class 2 type A protects against organic gases and vapours		1 piece
Pre-Filter SR 221*	Pre-Filter SR 221* protects the gas and particle filter from coarse dust		5 pieces
SR Cleaning Cloths	daily cleaning and desinfection of the respirator mask	962400030417	50 pieces

VKWG: 9544 | VKWK: 971

SAFETY GOGGLES*

Particularly lightweight single lens glasses with streamlined design. Also ideal for use in dirty areas, because the closed surface does not allow dirt particles to adhere.



✓ Tight-fitting

- ✓ Especially lightweight
- ✓ Suitable for all face types



GLOVE NITRIL BLACK STRONG*

Particularly hard-wearing disposable nitrile glove. It protects against oil, liquids, dirt, dust but also light chemicals and solvents. Classified as PPE category III. \checkmark for the production and laboratory area

VKWG: 9544 | VKWK: 971

✓ high wearing comfort





* Please refer to the Safety Data Sheet of the product to be processed for detailed information on the appropriate protective equipment.

SAFETY EQUIPMENT

DISPOSABLE GLOVES DERMATRIL P*

The disposable protective gloves made of nitrile offer a very high wearing comfort, tactile sensitivity and improved grip due to fingertip roughening. The very high chemical resistance (protection category III) and the increased tear resistance complete the property profile.

✓ skin friendly

- ✓ free from allergenic substances
- ✓ ideal for daily use



Size	Article no.	SU	
M	945500030017		
L	945500030117	EQ minerae	
XL	945500030217	50 pieces	
XXL	945500030317		

VKWG: 9544 | VKWK: 971

MULTI-FLEX GLOVE*

Professional quality seamless fine knit in nylon spandex with nitrile microfoam coating and nitrile studs. The gloves offer high abrasion resistance, very good tactile feel, are liquid-repellent, resistant to oils and greases. ✓ Very good tactile feel, grip on smooth surfaces

✓ Breathable



Size	Article no.	SU
Size 9	956800030117	
Size 10	956800030217	12 pairs
Size 11	956800030317	

VKWG: 9544 | VKWK: 971

SOL-VEX® GLOVE PREMIUM 37-900*

High-quality nitrile glove resistant to solvents, petrol and UV-curing raw materials. Extremely robust and resistant to chemicals. The inside is velourised. ✓ Protection category III

✓ Inside velourised



Size	Article no.	SU
Size 7	959800030011	
Size 8	959800030111	1 nair
Size 9	959800030211	1 pair
Size 10	959800030311	

VKWG: 9544 | VKWK: 971

* Please refer to the Safety Data Sheet of the product to be processed for detailed information on the appropriate protective equipment.



KRESTO PAINT SKIN CLEANSING*

Soap-free special hand cleaner with very strong cleaning effect for removing strongly adhering dirt such as varnishes, resins, adhesives or oil paints. It has particularly good skin compatibility for the product class "special hand cleaner".

Size	Article no.	SU
21	967100030011	1 piece



TRAVABON S CLASSIC SKIN PROTECTION*

For the protection of the skin on hands and arms in contact with oily, water-insoluble working materials and non-water-miscible metalworking oils. Skin protection also facilitates skin cleansing when working with strong or strongly adhering, non-watersoluble materials such as oils, varnishes, adhesives or resins.

Size	Article no.	SU	
11	967000030011	1 piece	VKWG: 9544 VKWK: 971



STOKOLAN SOFT & CARE SKIN CARE*

Very fast absorbing care gel, non-greasy, silicone-free, with moisturising glycerine and urea. The gel contains the skin's own energy source creatine and is perfumed.

- ✓ Care gel for hands and face
- ✓ Does not leave a greasy film
- 🗸 Fast draw-in





VKWG: 9544 | VKWK: 971

VKWG: 9544 | VKWK: 971

STOKO DISPENSER

This stainless steel dispenser can be used variably for skin protection, skin cleansing, skin care and hand hygiene products in 1 litre and 2 litre soft bottles. It is easy to handle and fill and in addition is stable and reliable. Thanks to the "upside-down system", it can be emptied easily and is completely hygienic, as dispenser and product do not come into contact with each other.

Description	Article no.	SU
single	968600030011	1 piece
triple	968600030111	1 piece



VKWG: 9544 | VKWK: 971

PUTTY, SEALANTS & GLUE

PUTTIES & SEALANTS



POLY-FILLER FIBRE-REINFORCED

Poly-filler fibre-reinforced is a two-component product based on polyester resin with glass fibre additive. This polyester filler from ADLER is characterised by its good drawability and adheres excellently to metal, wood, stone and plastic. Available in 250 g, olivgrün (olive green), including hardener.

- ✓ Good bridging of smaller holes (up to approx. Ø 3 cm)
- ✓ For the reinforcement of thinner sheets
- ✓ High filling and stands properties



Size	Article no.	SU
250 g	751308097025	1 piece

VKWG: 9613 | VKWK: 521

POLY-FILLER BEIGE

ADLER's beige Poly-filler is a 2-component polyesterbased putty. It is suitable for thick layer filling of large holes. The filler can be used on metal, wood, stone and rigid PVC. Available in 250 g, 1 kg and 2 kg sets, including hardener and plastic spatula.

Size	Article no.	SU
250 g	751408097125	
1 kg	751408097111	1 piece
2 kg	751408097120	

✓ Hardened and grindable after approx. 10 – 15 minutes



VKWG: 9613 | VKWK: 521

POLY-FINE FILLER

Professional two-component polyester filler with good drawability due to particularly creamy consistency. It is particularly suitable for filling cracks and fine irregularitiesor missing parts in furniture and interior woodwork as well as for levelling metal surfaces.

✓ Fast curing and good grindability







Size	Colour	Article no.	SU
250 g	Weiß	752608097214	
1 kg	Weiß	752608097211	
	Schwarz	752608097301	1 minco
	Braun	752608107001	1 piece
	Dunkelbraun	752608107101	
1,5 kg cartridge	Schwarz	752608097311	

VKWG: 9613 | VKWK: 521

PUTTIES & SEALANTS

POLY-HARDENER 7517

Hardener component for common 2-component polyester-based fillers and resins. Not suitable for Poly-filler transparent.

Tube	Article no.	SU	
30 g	751700021030	1 piece	
60 g	751700021060	1 piece	
Cartridge	Article no.	SU	
40 g für 1,5 kg	751700021011	1 piece	



VKWG: 9613 | VKWK: 521

FILLER DOSING DEVICE

Dosing device for Poly-fine filler and Woodfill cartridges. This dosing gun enables a simple and efficient application of two-component putties together with hardeners.

Article no.	SU	
752100030001	1 piece	VKWG: 9685 VKV



COMPA-REPAIR PUTTY

Excellent, two-component polyester-based filler for wood indoors and outdoors. For filling small holes and other repair work. In addition to wood, it is also suitable for use on stone, concrete, iron and plastic. Not to be used as a surface filler!

✓ For good and durable repair

NK · 521



Colour	Article no.	SU
Weiß	752204036401	1 piece



✓ Excellent workability and grindability

than in low layer thicknesses

✓ Hardens faster in high layer thicknesses

✓ High elasticity

WOODFILL-REPAIR FILLER

2-component polyester-based filler with peroxide hardening. This repairfiller is ideally suited for repair work on wood (windows, doors, etc.). Not to be used as a surface filler!

Colour	Size	Article no.	SU
Weiß	1200 -	751908097201	1 piece
Beige	1200 g	751908097101	

Description	Article no.	SU
Ersatztube Härter	752000021001	1 piece



VKWG: 9685 | VKWK: 521



POLY-FILLER TRANSPARENT

This 2-component polyester-based filler is suitable for the removal of imperfections that have to withstand even heavy stress. Cannot be used as a surface filler. It does not harden in thin layers. Can be used on wood and plastic indoors and outdoors. Available in 250 g, including hardener.

Size	Article no.	SU	
250 g	751800023214	1 piece	



SYNTHETIC RESIN FILLER

White synthetic resin filler for filling holes and cracks on wood and for metal indoors and outdoors. Recoatable with water-thinnable lacquers, dispersion paints or synthetic resin lacquers.

Size	Article no.	SU
200 g	752304036418	
400 g	752304036414	1 piece
1 kg	752304036411	

✓ Very high filling power and yield

G: 9613 | VKWK: 521

✓ Complete hardening after drying overnight even under unfavourable drying conditions



Size	Article no.	SU
200 g	752304036418	
400 g	752304036414	1 piece
1 kg	752304036411	

VKWG: 5408 | VKWK: 521

FINE FILLER

Water-thinnable filler based on acrylic dispersion for filling cracks, holes or small surfaces on wood indoors, metal and masonry indoors and outdoors. Recoatable with water-thinnable varnishes, dispersion paints or synthetic resin lacquers.

Size	Article no.	SU
400 g	752504036404	1 minco
1300 g	752504036413	1 piece

✓	Universally	/ applicable on
	various su	bstrate

✓ Very high-yield



VKWG: 9552 | VKWK: 405

ARTEKO-ELASTIK

Water-thinnable, extremely high solids and highly elastic filler based on high polymer. For use on wooden windows and doors (glazing bars and V-grooves).

- ✓ Prevents capillary water uptake via end-grain areas
- ✓ Permanently elastic even after years of weathering

Colour	Size	Article no.	SU
Weiß	320 ml	752704036401	1 minco
Farblos		752700023201	1 piece



PUTTIES & SEALANTS

ADLER SEALANT WHITE

Water-based, elastic joint filler for filling joints and narrow cracks protects against water penetration. Excellent adhesion, extreme water resistance, excellent weathering and aging resistance characterize the product. ✓ Easy processing

- ✓ Very good drying
- ✓ Low odor



Size	Article no.	SU	
310 ml	753104036401	1 piece	

VKWG: 9687 VKWK: 972

G: 9687 | VKWK: 972

✓ No masking necessary

✓ Suitable for all sealants

EXPRESS ACRYLIC FILLER FOR PAINTERS WHITE

Plastoelastic acrylic sealant for filling small cracks and joints, suitable for interior and exterior use. This fast-drying sealant can be used on plaster, gypsum plasterboard and concrete and you can paint straight over it. Key properties: minimal formation of cracks and very little shrinkage.

Size	Article no.	SU	
300 ml	753804036401	1 piece	VKV



3-SET JOINT SPATULA SET

Multifunctional three-part spatula set for stripping sealants on smooth, rough and corrugated surfaces as well as on narrow areas such as V-joints and curves. Rinsing and other separating agents are not required.

Article no.	SU
983200030017	1 set

VKWG: 9547 | VKWK: 971



WOOD GLUE



ADLER WHITE GLUE D2

Universally applicable glue with favourable open time. It is suitable for all types of interior wood gluing and meets the requirements of stress category D2 in accordance with EN 204.

Size	Article no.	SU
5 kg	980300030005	1 minco
30 kg	980300030030	1 piece

W-GLUE PLUS 3000

The self-curing glue powder is ideally suited for gluing, veneering and film coating between 70° C – 140° C. The glue is characterised by its particularly low formaldehyde emissions.

Article no.	SU	
958100030025	5 x 5 kg	VK۱







GLUE SPATULA

For glue application of all common surface and assembly glues. Can be used on all types of wood. Made of stainless steel with wooden handle.

Size	Article no.	SU
180 mm	963600030011	1 piece



PFOHL GLUE ROLLER

The hand glue roller (width 150 mm) allows a fast and completely uniform application of all types of glues and adhesives. Saves working time and material due to easy handling and measurable glue application. It is not necessary to wipe glue off edges, and on curved surfaces the glue can be applied effortlessly.

Article no.	SU	
953400030011	1 piece	VKWG: 95

✓ Aluminium	glue	rolle
-------------	------	-------

 Completely even and measurable glue application

VKWG: 9541 | VKWK: 971

VKWG: 9549 | VKWK: 971

✓ For glues and adhesives of all kinds



PFOHL SPONGE RUBBER ROLLER GREY

The sponge rubber roller grey has a ribbed, poreless surface and can be used for white glues, glues with hardener additive and other water-dilutable glues and adhesives. Cleaning is very easy (Attention: roller is not acid-resistant!).

Article no.	SU	
953500030011	1 piece	



VKWG: 9541 | VKWK: 971

41 | VKWK: 971



REPAIR




GRILITH HOLZKITT

For repairing small cracks, bad veneer joints or holes due to fallen knots. Application before varnishing on untreated wood. The filling compound is impact-resistant and does not crack. Suitable colour for every type of wood.

Size	SU	
100 ml	1 piece	
200 ml	1 piece	VKWG: 5090 VKWK

Colour	100 ml	200 ml
Ahorn	750104034718	750104034714
Fichte/Birke/Esche	750104035418	750104035414
Natur	750104035918	750104035914
Kiefer	750104035618	750104035614
Eiche	750104034918	750104034914
Buche/Lärche	750104034818	750104034814
Nussbaum	750104036018	750104036014

Colour	100 ml	200 ml
Erle	750104035218	750104035214
Nussbaum dunkel	750104036118	750104036114
Kirschbaum	750104035718	750104035714
Mahagoni	750104035818	750104035814
Weiß	750104036418	750104036414
Schwarz	750104036218	750104036214



KWK: 303

GRILITH WAX STICKS

For repairing imperfections on stained, glazed or lacquered interior wooden surfaces that are subject to less stress. The soft wax sticks can be shaped at room temperature and can be used without preparation. The wax is lightfast, does not shrink and can be painted over with Grilith clear lacquer spray.

Article no.	SU
see table below	1 piece
702700030017	Set à 20 piece*

✓ For repairing small scratches, cracks, holes or pressure points

✓ After hardening it can be processed

✓ Colours can be mixed with each other

like solid wood

303

✓ Stainable and recoatable

✓ For solid wood and veneer as well as interior plastic surfaces



30017	Set à	20 piece*	VKWG: 9571 V
olour			Art. Nr.
Veiß		702	704034611

Art. Nr.
702704034611
702704032511
702704033111
702704032911
702704033211
702704032711
702704033511
702704034311
702704032611
702704033411
702704033611

Colour	Art. Nr.
Natur	702704034111
Nussbaum dunkel	702704034411
Erle	702704032811
Macore	702704033711
Mahagoni	702704033811
Mahagoni dunkel	702704033911
Mittelgrau	702704034011
Nuss	702704034211
Schwarz	702704034511
Farblos	702704033011
Kiefer rötlich	702704033311

*Farblos (colourless) and Kiefer rötlich (pine reddish) not included in set.

REPAIR

GRILITH HARD WAX STICKS

A high-quality wax product for repairing all damages in the surface and edge area that is subject to greater stress. Grilith hard wax sticks are also suitable for repairing doors and windows. The hard wax is dissolved with a hard wax melter, it hardens very quickly, does not shrink and is highly light-resistant.

Article no.	SU
see table below	1 piece

Colour	Art. Nr.
Farblos	702604030611
Weiß	702604032311
Buche Hell	702604030311
Weide	702604032211
Gold	702604031011
Buche	702604030211
Rüster Hell	702604031811
Kirsch Hell	702604031411

- ✓ For repair work on surfaces subject to particular stress
- ✓ Also suitable for edge areas



VKWG: 9571 | VKWK: 303

Colour	Art. Nr.
Kirsch P3	702604031311
Rüster P6	702604031711
Birnbaum	702604030111
Hellbraun/Gold	702604031211
Hellbraun/ Fichte Hell	702604031111
Maisgelb-Eiche	702604031511
Mittelbraun-Honig	702604031611

Colour	Art. Nr.
Afzelia-Eiche	702604030011
Teak/Natur	702604032111
Teak/Kiefer	702604032011
Fichte/Mora	702604030911
Dunkelbraun/Kiefer	702604030411
Dunkelbraun/ Mahagoni	702604030511
Schwarz	702604031911

HARD WAX MELTER

For professional processing of hard wax. The melter is handy, easy to operate and can be used for small repairs to the wood surface. Takes just a few seconds to heat up. Batteries are included in the scope of delivery.

√ Н	andy	and	easy	to	use
-----	------	-----	------	----	-----

✓ Heats up particularly fast



Article no.	SU
980500030011	1 piece

VKWG: 9541 | VKWK: 971



The plastic plane is suitable for planing and processing hard wax applied as well as for applying and processing soft wax and plastic wood.

Size	Article no.	SU	
40 mm	963700030011	1 piece	VKWG: 9541 VKWK: 971



GRILITH TOPCOAT PEN

For retouching damaged white edges. The retouched area dries quickly and no longer needs to be painted over. Available in weiß (white). ✓ Good adhesion and surface hardness

 \checkmark Simple application

VKWG: 9545 | VKWK: 971

Farbton	Article no.	SU	
Weiß	980405000011	1 piece	





GRILITH FLEXPEN

For removing the finest scratches or chafe marks indoors. Dry quickly, adhere well and are lightfast. With the flexible brush tip you can correct the smallest scratches, even fine wood structures can be easily traced with it.

Description	Article no.	SU
see table below	see table below	1 min co
Flexpen empty sleeve	830600030011	1 piece

Colour	Art. Nr.
Buche	830604036511
Eiche hell	830604036611
Eiche mittel	830604036711
Kirschbaum	830604036811
Mahagoni braun	830604036911

VKWG: 9	1545 VKWK	: 971	
VKWG: 9	545 VKWK	: 971	

Colour	Art. Nr.
Nussbaum mittel	830604037011
Nussbaum dunkel	830604037111
Rustikal	830604037211
Teak	830604037411
Schwarz	830604037311

GRILITH CLEAR LACQUER SPRAY

For refreshing and varnishing primed, stained and varnished wooden interior surfaces. It dries quickly and is characterised by an even flow, a uniform application of spray and good resistance to chemical influences. The colourless varnish is available in four degrees of gloss. For repainting chafe marks, repairing signs of wear or sealing repaired areas.

Degree of gloss	Article no.	SU
glossy	241705025215	
silky matt	241707781115	150 ml
matt	241705025315	120 mi
dull matt	241707781215	

✓ Ready for use

✓ Ready for use

✓ Available in many wood colours

- ✓ Repainting scuff marks
- ✓ Repairing signs of use
- ✓ Sealing repaired areas



VKWG: 9630 | VKWK: 521

GRILITH THINNER 8013

Suitable thinner for Grilith wood filler.

Article no.	SU	
801300021012	500 ml	VKWG: 8001 VKWK: 801

NITRO SPRAY LACQUER

For small-surface repair work on varnished furniture surfaces and interior fittings. For example for repairing traces of usage or for varnishing assembly-related repair work on furniture or interior fittings made of wood.

Degrees of gloss	Article no.	SU	
glossy G70	161205025237	400 ml	
silky matt G30	161207781137	400 mi	





- ✓ Very good flow
- ✓ Uniform application of spray



VKWG: 9630 | VKWK: 521



REPAIR

PREVAL-SPRAYER

The Preval-Sprayer is a manual sprayer with a propellant gas cartridge for any and interchangeable liquids. The sprayer is suitable for all uniform liquids, has excellent spray characteristics, is easy to use and easy to clean. It produces an even, sharply defined spray jet. There is no need for any equipment or connection for use.

Description	Article no.	SU
Set	963900030017	1 minco
Cartridge	963900030111	1 piece



ADLER

Abbeize Spray

VKWG: 9541 | VKWK: 971

Quick and easy application

PAINT REMOVER SPRAY

Highly effective paint stripper spray with gel structure for removing old and different paint layers on substrates such as wood, metal and masonry.

Article no.	SU	
831108096937	400 ml	VKWG: 9512 VKWK:

PAINT STRIPPER EXPRESS

Highly effective paint sstripper, particularly suitable for removing old, water-based window coatings. Paint Stripper Express removes thick layers of paint in a single step. Without addition of chlorinated hydrocarbons.

Article no.	SU
831300030012	500 ml

✓ Fast and easy to use

801

VKWG: 9512 | VKWK: 801

✓ Suitable for vertical surfaces too, due to gel structure



HONING SCRAPER

Honing scraper with replaceable blade or removing old varnishes. Perfect in combination with paint remover products.

✓ Aluminium design

✓ 65 mm blade for replacement



Description	Article no.	SU
Honing scraper	951000030011	1 piece
Replacement blades	951000030117	3 pieces

VKWG: 9545 | VKWK: 971

ADLER FURNITURE SERVICE CASE

Contains many important materials for repairing minor damage to surfaces. With this case you have all important utensils and tools ready to hand, always neatly arranged and protected. All components can also be reordered separately. Contents: 20 Grilith wax sticks for treating wood, 10 Grilith hard wax sticks, 2 Grilith topcoat pens (white), Grilith Flexpens (10 paints, 2 empty sleeves), Grilith lacquer spray (silky matt, matt and dull matt), hard wax melter, hard wax plane, steel wool, 1 bag of jersey, finishing paper Grain 360 A4, fine brush, paint scraper, Preval-sprayer, propellant gas can, special polish with felt cloth.

Article no.	SU
961500030017	Case complete

VKWG: 9545 | VKWK: 971



MAINTENANCE



CLEAN FURNITURE CLEANER SET

Suitable for cleaning varnished surfaces and other wipeable surfaces in the household. Clean Furniture Cleaner contains cleaning substances that remove dust, dirt and fingerprints. The product can be used regularly. Set consisting of 500 ml furniture cleaner including spray head and cleaning cloth. Available as a set or individually.

Contents

- ✓ Clean Furniture Cleaner 250 ml
- 🗸 1 spray head
- ✓ 1 cleaning cloth



Description	Article no.	SU
Set*	720200021017	1 minco
Furniture cleaner 250 ml	720200021014	1 piece

VKWG: 4212 | VKWK: 303

CLEAN FURNITURE CARE SET PLUS

Gently removes dust and dirt without clogging the wood pores, is water-repellent and protects the furniture surface against dirt. The gloss or matt finish of the furniture urface is retained.

Contents

✓ Clean Furniture Care Plus 250 ml

VKWG: 4212 | VKWK: 303

- 🗸 1 spray head
- ✓ 1 cleaning cloth

Description	Article no.	SU
Set*	722200021017	1 piece
Furniture care 250 ml	722200021014	1 piece

CLEAN EASY-CARE

Compact system maintenance for cleaning and care of painted surfaces and other wipeable surfaces in the household. It gently removes dust and impurities, without clogging the wood pores. The furniture care has a water-repellent effect and provides protection of the furniture surface against impurities. The degree of gloss or matt finish is retained.

Contents

- ✓ Clean Furniture Cleaner 100 ml
- ✓ Clean Furniture Care 100 ml
- ✓ 1 cleaning cloth



Description	Article no.	SU
Set	722800021017	1 piece

Į	Set	/2280002101/	1 piece	VKWG: 4212 VKWK: 303

CLEAN PARQUET CLEANER AND CARE

Parquet cleaner for removing dirt and stubborn stains from wooden, laminate and cork floors as well as PVC floor coverings. Parquet care creates a resistant protective film on the substrate.

Description	Article no.	SU
Parquet cleaner 1 l	4219811	1 min co
Parquet care 1 l	4219911	1 piece

* Components can be reordered individually.



VKWG: 4212 | VKWK: 303

MAINTENANCE

WINDOOR CARE-SET

System care for coated windows and doors made of wood, aluminium and PVC as well as garden furniture. It has water-, oil- and dirt-repellent effect. Closes finest cracks, pores in the coated surface, and prolongs durability. Not suitable for high-gloss surfaces.

Content

- ✓ Top-Cleaner 250 ml
- ✓ Top-Care 250 ml
- \checkmark 2 spraying heads
- ✓ 1 cleaning cloth yellow
- ✓ 1 care cloth blue

VKWG: 5169 | VKWK: 531



Description	Article no.	SU
Set*	722900030017	
Top-Cleaner 250 ml	720800021014	1 piece
Top-Care 250 ml	722700021014	

FITTING OIL

Maintenance and care product for all movable fitting parts on window and door frames.

Article no.	SU
721800030020	20 ml

VKWG: 5169 | VKWK: 531

SPEZIAL-POLISH 181

Removes the finest scratches from high-gloss surfaces, cleans and makes them scratch-resistant. A special polishing cloth is included in the scope of delivery.

✓ Protects against scratches







LEGNO WOODEN FLOOR SOAP

The high-quality Legno Wooden Floor Soap is used for regular cleaning and care of oiled, waxed and leached wood and parquet floors, as well as oiled cork and laminate floors indoors.

Cleans, maintains and refines wood and parquet floors sustainably

VKWG: 5081 | VKWK: 303

✓ Pleasant matt effect



Size	Article no.	SU
11	703100021011	1 minco
2,5 1	703100021002	1 piece

LEGNO-REINIGER

High-quality, mild-smelling cleaning agent for oiled wooden surfaces. Removes heavy dirt and grease effortlessly.

Size	Article no.	SU
250 ml	700300021014	1 min co
11	700300021011	1 piece

* Components can be reordered individually.



VKWG: 5081 | VKWK: 303



LEGNO CARE OIL

This universally applicable care oil was developed for the gentle care and freshening up of oiled furniture in the living area and interior fittings such as wooden cladding and wooden ceilings. Surfaces that are slightly soiled can be cleaned and refreshed in a matter of seconds using Legno-Pflegeöl.

Size	Article no.	SU	
250 ml	700900021014	1 piece	VKWG: 5065 VKWK: 30



		_	-	_
LEGN	CAR	F	S	
LLUIN	CAN			

High-quality set for regular cleaning and care of oiled wooden surfaces such as furniture, wooden and parquet floors as well as interior finishing. Use the Legno Cleaner to clean dirty and greasy surfaces. The Legno Care Oil cares for and protects the wood and makes it shine again.

Contents

- ✓ Legno Cleaner 100 ml
- ✓ Legno Care Oil 100 ml

VKWG: 5081 | VKWK: 303

- ✓ 1 Abrasive fleece
- ✓ 1 Cleaning cloth
- ✓ Care instructions



Description	Article no.	SU
Set	702900021001	1 piece

	CLOTH FOR	DADOLIET	ELOOPING
CLEANING	CLUIN FUR	PARQUEI	FLOOKING

Soft cloth for the damp cleaning of wood, laminate and cork floors as well as PVC floor coverings.


Article no.	SU
9621101	1 piece

SU	
1 piece	VIANC 421



CLEANING CLOTH YELLOW

Universal non-woven cloth for cleaning wooden surfaces such as furniture, window frames or front doors. The cloth picks up dirt and grease very well and is washable at up to 95°C.



VKWG: 9542 | VKWK: 971

L2 | VKWK: 303



MAINTENANCE CLOTH BLUE

Universal microfibre cloth for cleaning, maintenance and polishing of wooden surfaces, such as furniture, stairs, floors, window frames or doors. The cloth is washable at up to 95°C.

Article no.	SU
96900030017	25 pieces

VKWG: 9542 | VKWK: 971





Over 90 years ago, Johann Berghofer laid the foundation stone for ADLER and work was started to develop its own paints. Much has changed since that time, but one thing has stayed the same: our passion for colour, which drives us day after day to work on the perfect surface coating.

Paint runs through our veins.



ADLER-COATINGS.COM



ADLER-Werk Lackfabrik · Bergwerkstraße 22 · A-6130 Schwaz/Tirol · T. +43 5242 6922-0 · info@adler-lacke.com

ADLER Deutschland GmbH · Kunstmühlstr. 14 · D-83026 Rosenheim · T. +49 8031 304 5174 ADLER Lack AG · Etzelstraße 5 · CH-8856 Tuggen · T. +41 55 465 2121 ADLER Italia S.r.l. · Via per Marco 12/D · I-38068 Rovereto · T. +39 0464 425 308 ADLER Polska Sp. z o.o. · ul. Tyniecka 229 · PL-30-376 Kraków · T. +48 12 252 4001 ADLER Česko s.r.o. · Jihlavská 770/27 · CZ-664 41 Troubsko · T. +420 731 725 957 ADLER Slovensko s.r.o. · Montážna 3 · SK-971 01 Prievidza · T. +421 46 5199 621 ADLER Benelux BV · De Boelakkers 12 · NL-5591 RA Heeze · T. +31 85 064 2020

04-2024 8981000700