



**NO COMPROMISES
ON EQUIPMENT
OR ACCESSORIES**

**TO THE
ONLINESHOP**



ADLER

Paint runs through our veins.

Professional accessories

PRODUCT CATALOGUE



ADLER PROFESSIONAL ACCESSORIES

CONTENTS

VARNISHING	4
Paint spray guns	5
Paint spraying equipment	8
Painting equipment and supplies	12
Equipment for painting booths	16
SANDING & POLISHING	20
Sanding tools	21
Sanding materials	23
Polishes	27
PAINTING & COATING	30
Paint brushes	31
Paint rollers	34
Masking and covering	36
SAFETY EQUIPMENT	38
PUTTIES, SEALANTS & GLUE	42
Putties & sealants	43
Wood glue	47
REPAIR & MAINTENANCE	48
Repair	49
Maintenance	53

EVERYTHING YOU NEED, AND ALL IN ONE PLACE!

With their Professional Accessories Catalogue, ADLER can offer their customers even more service. Professional painters and decorators will find everything they need to work with ADLER's products. The comprehensive range includes spray painting equipment together with accessories, sanding materials, polishes, coating equipment, work clothing and a range of other aids – and of course, all in ADLER's usual top quality!

IMPRESSUM: Owner and Design: ADLER-Werk Lackfabrik Johann Berghofer GmbH & Co KG, Bergwerkstr. 22, 6130 Schwaz, Tel. +43.5242.6922-0, Fax +43.5242.6922-999, info@adler-lacke.com, www.adler-lacke.com; **Photos:** ADLER Archiv, 3M, Mirka, Exel, Mako, Uwe Marx Oberflächentechnik, draco Malerwerkzeuge, Dostmann Electronics, KA.EF Schleifmittel, Esska, CARSYSTEM Süd-Rohde, Gebol, Sundström, Trabass Farbspritzgeräte, SATA GmbH & Co.KG. Subject to alterations and printing errors. The general terms and conditions of business and delivery of ADLER-Werk Lackfabrik apply.



A future-oriented family business since 1934



Austria's leading manufacturer of paints, varnishes and wood preservatives



Sole production site in Schwaz, Austria



Annual production approx. 21,000 tonnes



Europe's most advanced water-based coatings factory



730 employees, including 110 in Research & Development



Environmentally friendly products, 68 % water-based paints and varnishes



100 % climate-neutral production¹



More information: www.adler-coatings.com/climate-neutral

¹ ADLER has been able to reduce its carbon footprint to a minimum through a wide range of measures. ADLER offsets any unavoidable residual emissions through the purchase of recognised climate protection certificates, thereby helping to finance new climate protection projects.

ADLER does not merely pay lip service to quality, responsible action and social commitment. As is proSUn by numerous awards and certifications, for which the paint factory regularly undergoes strict inspections.



VARNISHING

PAINT SPRAY GUNS



PAINT SPRAY GUN SATAJET 1000 B RP

The all-rounder of flow cup paint spray guns. The SATAjet 1000 B fulfils even the most demanding of requirements in terms of painting and varnishing results. It has a broad spectrum of nozzles and a diverse range of accessories, allowing a wide range of different coating materials to be used with outstanding results.

- ✓ Optimised high pressure technology and only minimal overspray with maximum operating speed
- ✓ Fast and easy changing of the air nozzle, with only 1.5 turns of the QC thread
- ✓ Simplified cleaning due to the smooth surface of the gun body



Description	Article no.	SU
1,3 mm	942200030017	1 pc.
1,8 mm	942200030117	1 pc.
2,0 mm	942200030217	1 pc.

VKWG: 9556 | VKWK: 971

PAINT SPRAY GUN SATAJET 1000 B RP – ACCESSORIES

Description	Article no.	SU
Nozzle kit 1.3 mm	942300030011	1 pc.
Nozzle kit 1.6 mm	942300030111	1 pc.
Nozzle kit 1.8 mm	942300030211	1 pc.
Nozzle kit 2.0 mm	942300030311	1 pc.
Nozzle kit 3.0 mm HV	942300030411	1 pc.
Multi-use cup, plastic, 0.6 l with QCC	942400030011	1 pc.
Repair set for SATAjet 1000	942500030017	1 set
Pressure cup attachment kit BVD SATA	942600030017	1 set
Quick coupling nipple SATA	942700030017	5 pcs.
Cleaning brushes, large	942800030017	5 pcs.
SATA nozzle cleaning needles	942900030017	12 pcs.
Grease for SATA paint spray guns	943000030001	1 pc.
Care set for SATA paint spray guns	943100030017	1 set

VKWG: 9556 | VKWK: 971

PAINT SPRAY GUN SAMES FPRO G

Guarantees a high-quality premium finish. The FPro paint spray gun is well-suited to coating materials with a low level of viscosity and also reduces wastage of paint or varnish. It is very easy to handle and is therefore popular with painters and decorators from all sectors. The flow cup, which holds a volume of 0.6 l, is designed with frequent colour changes in mind and is easy to clean.

- ✓ High quality atomisation
- ✓ Modular spray gun for a multitude of uses
- ✓ Ergonomic and robust design



Material viscosity DIN 4	Cup	Nozzle ID in mm	Width of spray jet
< 15 s	PEHD 0,6 l	1,4	20 – 30 cm
15 – 30 s		1,8	
		2,2	

Nozzle ID	Article no.	SU
1,4 mm	962600030001	1 pc.
1,8 mm	962600030101	

VKWG: 9556 | VKWK: 971

PAINT SPRAY GUNS



SPRAY GUN SAMES FPRO G GSP

Guarantees a high-quality premium finish. With the FPro G GSP paint spray gun, additional pressure is applied to the flow cup to make it easier to create a fine spray with materials that have an especially high degree of viscosity. The paint spray gun is suitable for use in all industrial applications. The pressure-assisted flow cup has a capacity of 0.6 l.

- ✓ Pressure regulator allows pressure to be applied with precision, depending on the viscosity of the paint or varnish
- ✓ Modular spray gun for a multitude of uses
- ✓ Ergonomic and robust design



Material Viscosity DIN 4	Cup	Nozzle ID in mm	Spray jet width
< 15 s	PEHD 0.6 l	1.4	20 - 30 cm
15 - 30 s		1.8	
		2.2	

Nozzle ID	Article no.	SU
1.8 mm	962700030001	1 pc.

VKWG: 9556 | VKWK: 971

SAMES FPRO G AND FPRO G GSP PAINT SPRAY GUNS ACCESSORIES


Description	Article no.	SU
Flow cup, plastic, 0.6 l for FPro G	963300030001	1 pc.
Pressure-assisted flow cup, plastic, 0.6 l for FPro GSP	963400030001	1 pc.
Pressure-assisted flow cup, plastic Replacement hose Rilsan 2.7x4	963400030411	1 pc.
Pressure-assisted flow cup, plastic angle adapter M5 T2 5x4	963400030211	1 pc.
Atomiser unit for FPro G	965700030001	1 pc.

Description	Article no.	SU
Nozzle + needle 1.4 mm	963000030017	1 pc.
Nozzle + needle 1.8 mm	963000030117	1 pc.
Nozzle + needle 2.2 mm	963000030217	1 pc.
Sealing kit for FPro G	963100030017	1 set
Sealing kit for FPro G GSP	963100030117	1 set
Vortex insert for FPro series	962600030201	1 pc.

VKWG: 9556 | VKWK: 971

COUPLING CONNECTOR FOR AIR SUPPLY HOSE

Coupling connector made of brass DN-7.2 to fit a 1/4" air supply hose on Kremlin paint spray guns. Fast and easy to assemble.



Article no.	SU
952800030011	1 pc.

VKWG: 9556 | VKWK: 971

RPS CUP SYSTEM SATA I ADAPTER

For perfect coating results and excellent commercial viability. The single-use cup system offers four functions: mixing the paint or varnish, applying it, refilling it and storing it. To use the cup system on paint spray guns, various adapters need to be used.

- ✓ Complete system comprises a cup, a lid and a 200 µm strainer
- ✓ Faster preparation of the paint/varnish
- ✓ Reduced use of cleaning agents



Description	Article no.	SU
Cup 0.6 litre 200 µm	962300030027	50 pcs.
Cup 0.6 litre 125 µm	962300030227	50 pcs.
Cup 0.3 litre 200 µm	962300030327	50 pcs.
Cup 0.3 litre 125 µm	962300030427	50 pcs.
Cup 0.9 litre 200 µm	962300030527	50 pcs.
Cup 0.9 litre 125 µm	962300030627	50 pcs.
Adapter for Kremlin spray gun 200 µm	962800030111	1 pc.
Adapter for GRACO spray gun	962300030111	1 pc.

VKWG: 9556 | VKWK: 971

METEX® CUP STRAINER S 5000

For straightforward and clean application of varnishes and paints. The nylon strainer can be reused a number of times and is hung directly in the flow cup of the cup gun. It remains in the cup during painting/varnishing and during refilling, thereby enabling an efficient workflow. The strainer is resistant to solvents and is lint-free. Mesh size 190 µm.



Description	Article no.	SU
Mesh size 190 µm	964100030017	20 pcs.

VKWG: 9556 | VKWK: 971

INSERTABLE STRAINER FOR SPRAY PAINT GUN SAMES

Strainer for flow cups of spray paint guns. The strainer is easy to handle and to insert. It can be relied upon to catch any dirt or foreign bodies.



Description	Article no.	SU
Mesh size 190 µm	963500030017	5 pcs.

VKWG: 9556 | VKWK: 971

NYLON PAINT/VARNISH STRAINER

Strainer for the compressed air gun to sieve paints, varnishes and stains in order to prevent any particles from getting into the coating.



Description	Article no.	SU
Mesh size 190 µm	962200030017	125 pcs.

VKWG: 9556 | VKWK: 971

NOZZLE CLEANING SET

17-part cleaning set for careful cleaning and maintenance of paint spray guns and their gun bodies. Suitable for use with all water-based and solvent-based varnishes and paints.

Contents:

- ✓ 4 round brushes (3 with nylon and 1 with natural bristles)
- ✓ Cleaning brush (nylon bristles)
- ✓ 5 small precision round brushes (nylon bristles)
- ✓ Fine paintbrush (nylon bristles)
- ✓ 6 precision needles



Article no.	SU
969600030017	1 set

VKWG: 9556 | VKWK: 971

NOZZLE CLEANING NEEDLES NO. 10 WITH SPIRAL HANDLES

For easy cleaning of nozzles and paint spray guns, without damaging the nozzle. Ideal for nozzle sizes 11 to 18.

Article no.	SU
954700030117	6 pcs.

VKWG: 9556 | VKWK: 971



PAINT SPRAYING EQUIPMENT



M1 PREMIUM PAINT SPRAYER

This first-class paint sprayer combines a head-mounted pump with premium features incl. special atomiser head VX 24 and impresses with its high performance and versatility. Both small quantities (from 0.5 litres) and large quantities (up to 6 litres) of clear, coloured, water-based paint, filler or thick-coat glaze finish can be processed. This adaptability makes it an indispensable tool in the paint shop.

Included in all sets:

Paint collection tray, glass manometer control element, 7.5m flexible soft hose package, Black finish X.C gun, special atomiser head VX24, ½ l separating agents, grounding cable, operating manual. Supplied as standard with nozzle 06092 for water-based paints (40° angle, 28 mm bore) with pre-atomizer. Available with a different nozzle on request.



VKWK: 9556 | VKWK: 971

Description	Article no.	SU
M1 Premium Set Model A: 6 litre material container	943900030217	1 set
M1 Premium Set Model B: 2 litre material container	943900030317	1 set
M1 Premium Set Model C: 2L and 6L material containers	943900030417	1 set
M1 Premium Set Model D: SATA RPS adapter	943900030517	1 set
M1 Premium Set Model E: 6L container+SATA adapter	943900030017	1 set
M1 Premium Set Model F: 6L-treating +HSM adapter	943900030617	1 set
M1 Premium Set Model G: 2L container + RPS adapter	943900030717	1 set

VARIANT MODEL H:

The premium version Model H comes in its original full equipment, featuring a 6 l container, two 2 l containers, and an RPS adapter with ball valve and bayonet lock. Additional holder for hose, spray gun, and cup, providing even greater flexibility during painting.

Description	Article no.	SU
M1 Premium Set Model H: Original full equipment	943900036417	1 set

M1 PREMIUM ACCESSORIES

Description	Article no.	SU
RPS cup system 0.6l, 200µm	962300030017	60 pcs.
SATA adapter 3/8" with ball valve and bayonet top	944000030017	1 set
HSM adapter 3/8" with ball valve and bayonet top	944000030117	1 set
Material container 2 with litre ball valve and bayonet top	944100030017	1 set
Material container 6 litres with lid and strainer insert	944100030117	1 set
Seal for material container	944100030211	1 pc.
Nozzle screen for nozzle 06 (Kremlin)	941200030517	10 pcs.
Spray gun filter long, medium (yellow)	941300030117	10 pcs.
O-ring for cone adapter FPM 80	944200030017	2 pcs.
M1 conversion kit 6L container + RPS/HSM/2L holder	944300030017	1 pc.
M1 holder for gun and hose	944300030117	1 pc.
M1 holder for 2x 2 litre tubs	944300030217	1 pc.

VKWK: 9556 | VKWK: 971



MINI MERKUR ES GRACO

The reliable and highly professional paint sprayer with a compact design. The Mini Merkur ES is air-assisted and especially suitable for use with very small quantities of water-based or solvent-based paints and varnishes and with frequent colour changes. The sprayer is extremely easy to handle and can therefore be put to various uses in the workshop. You will need a compressor to operate the Mini Merkur. Delivery includes: Mini Merkur 30:1, double hose 7.5 metres (air hose and coating material hose), spray gun Perform AA, nozzle AAF 412 in a nozzle holder, suction and return system, pump oil, 118 ml.

- ✓ **The whole system can be filled with a very small quantity of coating material**
- ✓ **Produces a first-class, even finish**
- ✓ **Quick rinsing system – can be rinsed in just a few minutes**



VKWG: 9556 | VKWK: 971

Description	Article no.	SU
MINI MERKUR ES	940100030017	1 set
Suction strainer	940300030017	3 pcs.
Suction pipe	940400030011	1 pc.
Suction hose	940500030011	1 pc.
Coating material container, 2 litres	940100030317	1 set

MAXI MERKUR GRACO

The high-performance paint sprayer with a long lifespan. Maxi Merkur is air-assisted. The air pressure regulators can be easily reached by the user, making it very simple to adjust and monitor the air pressure. The focus here is on continuous operation and on the application of larger quantities of water-based or solvent-based coatings. This paint sprayer is suitable for universal use on account of its size and weight. Delivery includes: Maxi Merkur 30:1, double hose 7.5 metres (air hose and coating material hose) incl. protective hose, spray gun Perform AA, nozzle 413 in a nozzle holder, gun filter and pump oil, 236 ml.

- ✓ **Stainless steel pump construction with a long lifespan**
- ✓ **Minimal consumption of air ensures improved efficiency**
- ✓ **Produces a first-class, even finish**



VKWG: 9556 | VKWK: 971

Description	Article no.	SU
Maxi Merkur with suction hose	941000030017	1 set
Maxi Merkur with coating material container, 5 l	941000030117	1 set
Suction strainer	940300030117	10 pcs.
Suction hose	940500030111	1 pc.
Coating material container, 5 litres	941000030317	1 set

MINI AND MAXI MERKUR GRACO – ACCESSORIES

Description	Article no.	SU
Material filter, 100 µm	940200030017	5 pcs./packet
Pump oil, 1 litre	940800030011	1 pc.
Air cap	940900030011	
Spray nozzle AAM 211	940600030011	
Spray nozzle AAM 213	940600030111	
Spray nozzle AAM 409	940600030411	
Spray nozzle AAM 411	940600030211	
Spray nozzle AAM 413	940600030311	
Spray nozzle AAM 513	940600030511	

Description	Article no.	SU
Spray nozzle with pre-atomiser AAF 210	940700030011	1 pc.
Spray nozzle with pre-atomiser AAF 212	940700030111	
Spray nozzle with pre-atomiser AAF 410	940700030211	
Spray nozzle with pre-atomiser AAF 412	940700030311	

VKWG: 9556 | VKWK: 971

AIRCOMBI PAINT SPRAYER MARX

Compact and high-performance paint sprayer. The paint sprayer is made entirely out of stainless steel, making it very robust and giving it a long lifespan. The black anodised paint spray gun is comfortable to hold and allows the user to create surfaces of an outstanding quality. The optimised air flow allows a very finely atomised spray to be achieved with very little paint mist. The filter can be changed without the use of tools. Areas of application: for all water-based and solvent-based clear varnishes and coloured paints. Delivery includes: stainless steel piston pump 33:1, 7.5 m soft hose set, black anodised paint spray gun, atomiser unit with nozzle, 0.33 mm hole and 50° spray angle, with filter that can be removed by hand and swivel joint, release agent, earthing cable and instruction manual.



TO THE PRODUCT VIDEO



VKWG: 9556 | VKWK: 971

Description	Montage	Article no.	SU
310 SL with suction system, rigid	Aluminium tripod	941100030017	1 set
310 SL with suction system, rigid	Wall mounting	941100030027	1 set
320 SL set with material container, 6 l	Aluminium tripod	941100030117	1 set
320 SL set with material container, 6 l	Wall mounting	941100030127	1 set
330 SL set with suction system, flexible	Aluminium tripod	941100030217	1 set
330 SL set with suction system, flexible	Wall mounting	941100030227	1 set

MINI MARX

Compact and high-performance paint sprayer. This paint sprayer with a low-pulsation air motor is ideal for use with small quantities of clear varnishes or coloured wood paints, water-based paints and varnishes, fillers, thick-coat glazes and 2C paints and varnishes. Delivery includes: MiniMarx on an aluminium tripod, 7.5 m flexible soft hose set, rigid suction system, paint spray gun in black finish X.C, nozzle 09114 (0.33 mm hole, 50° spray angle for solvent-based coatings), release agent, earthing cable and instruction manual.



VKWG: 9556 | VKWK: 971

Description	Article no.	SU
Mini Marx set without HD filter	941900030017	1 set
HD filter Type II	941900030417	1 pc.
Suction system, flexible	941900030317	1 set
2 l container for coating material, incl. connector	941900030217	1 set
6 l container for coating material, incl. connector	941900030117	1 set

AIRCOMBI & MINI MARX – ACCESSORIES, SPARE PARTS AND NOZZLES

Description	Article no.	SU
Suction system, rigid	941100030311	1 set
Container for coating material, 6 l	941100030411	1 set
Single-use foil bag for the 6-l coating material container	941100030417	50 pc.
Suction system, flexible	941100030511	1 set
Spray gun filter long, fine (red)	941300030017	10 pc.
Spray gun filter long, medium (yellow)	941300030117	10 pc..
HD filter Inox 100 for clear varnishes and coloured wood paints	941300030211	1 pc.
HD filter Inox 50 for fillers + thick-coat glazes	941300030311	1 pc.
Nozzle seal for nozzles 09 + 12	941200030417	10 pc.
Nozzle strainer for nozzle 06	941200030517	10 pc.
Nozzel cleaner TipClean	941200030917	1 set
Refill 1 liter	941200030911	1 pc.

Nozzles for water-based paints/varnishes, with pre-atomiser	Article no.	SU
Nozzle 0.28 mm / 30°	941200030211	1 pc.
Nozzle 0.33 mm / 40°	941200030311	1 pc.
Nozzle 0.28 mm / 20°	941200030611	1 pc.
Nozzle 0.28 mm / 40°	941200030711	1 pc.
Nozzle 0.28 mm / 50°	941200030811	1 pc.
Nozzle 0.28 mm / 55°	941200030611	1 pc.

Nozzles for solvent-based paints/varnishes	Article no.	SU
Nozzle 06094 0.28 mm / 40°	941200030011	1 pc.
Nozzle 09114 0.33 mm / 50°	941200030111	1 pc.
Nozzle 0.23 mm / 50°	941200030611	1 pc.

VKWG: 9556 | VKWK: 971

FLUFF NEEDLE SET

For the removal of fluff, dust and dirt particles from freshly painted, still wet surfaces and parts without damaging the surface. Small needles with the finest barbs, for attaching to a spring holder handle.



Article no.	SU
966400030011	1 set
966400030117	15 pcs.

VKWG: 9556 | VKWK: 971

MINI-FILE MIRKA

Ergonomically designed metal paint plane 20 x 42 mm for removing paint runs and the like. Both sides of the blade can be used (coarse & fine) and the blade is held by a magnet. Not suitable for high gloss!



Article no.	SU
982600030011	1 pc.

VKWG: 9558 | VKWK: 971

SCRAPER MIRKA

Professional precision tool 48 x 28 mm for spot removal of minor lacquer defects such as dust inclusions or paint runs.



Article no.	SU
982700030011	1 pc.

VKWG: 9540 | VKWK: 971

SIEVE BAG

The polyamide drawstring sieve bag is very easy and practical to use. Impurities are retained on the fabric and remain in the sieve bag. The material remains free of dust and other impurities. The sieve bag can be easily attached to outlets and taps. Size: approx. 13 cm wide and 30 cm long, mesh size: 150 µm

- ✓ Simple but very effective separation process
- ✓ High flow rate
- ✓ Easy to clean




Article no.	SU
966800030017	25 pcs.

VKWG: 9547 | VKWK: 971

PAINT STIRRER

The paint stirrer is ideal for mixing liquid and flowing materials such as paints, coatings, etc. The stirrer builds up a strong flow from top to bottom and mixes components without introducing air.

- ✓ For drills from 500 watts
- ✓ Not resistant to solvents



Description	Article no.	SU
LX 70 S, 1 – 10 kg with plastic propeller	982400030311	1 pc.
LX 90 S, 10 – 15 kg with metal propeller	982400030411	

VKWG: 9547 | VKWK: 971

IMMERSION OUTLET CUP

The immersion outlet cup made of aluminum is particularly suitable for checks during production or during processing. This simple method can be used to measure the viscosity of liquids such as impregnations, flood products, paints and oils. Available with outlet nozzle Ø 2 mm for flood products, Ø 4 mm and Ø 6 mm for a variety of paints, capacity 100 ml.

- ✓ With bow handle
- ✓ For quick measurement of the outflow time



Designation	Article no.	SU
Ø 2 mm	982900030011	1 pc.
Ø 4 mm	982900030111	1 pc.
Ø 6 mm	982900030211	1 pc.

VKWG: 9547 | VKWK: 971

THERMO-HYGROMETER

Ergonomically shaped measuring instrument for indoor climate measurements with dew point display. Air temperature and humidity are measured quickly and easily, critical values are detected quickly.

- ✓ Simultaneous display of 2 measured values
- ✓ High measurement accuracy
- ✓ Storage of MIN and MAX values



Article no.	SU
983300030017	1 pc.

VKWG: 9547 | VKWK: 971

PH-METER INCL. ACCESSORIES

The measuring instrument for determining the pH value and temperature of flood products is splash-proof. With the permanently connected rod electrode, it is particularly suitable for regular production checks and for measurement in containers. Easy operation due to the one-touch calibration function.

- ✓ **Measuring range pH 0 to 14.00 pH, accuracy +/- 0.1**
- ✓ **Automatic calibration possible**
- ✓ **Hold function and battery status indicator**



VKWG: 9547 | VKWK: 971

Description	Article no.	SU
pH meter incl. batteries	982800030017	1 pc.
Calibration solution pH 7.00	982800030111	250 ml
Calibration solution pH 10.01	982800030211	250 ml
Storage solution sensor	982800030311	55 ml
Protein cleaning solution	982800030411	55 ml

MEASURING COMB

Practical tool for determining the film thickness of wet films (e.g. thick-film transparent wood finishes). The film thickness is measurable between 25 – 2000 µm.



VKWG: 9547 | VKWK: 971

Article no.	SU
961600030011	1 pc.

DIGITAL BENCH SCALE 2 g UP TO 30 kg

The digital bench scale with a weighing range of 2 g up to 30 kg guarantees a fast and reliable. Paint and hardener can be weighed and mixed in 1 g increments.

- ✓ **Display switchable kg / g / pc.**
- ✓ **With stainless steel platform 218 x 260 mm**
- ✓ **Supplied with battery, charger and cover**



VKWG: 9547 | VKWK: 971

Description	Article no.	SU
Table scale	952900030011	1 pc.
Plastic cover	952900030111	1 pc.
Replacement charging cable	952900030211	1 pc.

PLASTIC CUP WITH LID

For mixing and storage of small quantities (e. g. for sample productions).



VKWG: 9400 | VKWK: 972

Description	Article no.	SU
300 ml	962100030017	1 pc.

DISPOSABLE INSERT MIXING CUP

Disposable system for mixing, pouring and storing varnishes. On the outside there are clearly legible measuring scales (1:1 to 8:1, 20:1 and 10:7). Matching lids available separately.

- ✓ **Easy to use**
- ✓ **Various scales for exact mixing of varnishes**



VKWG: 9547 | VKWK: 971

Cup	Article no.	SU
1,3 l	965800030017	200 cups
2,23 l	965800030117	

Lid	Article no.	SU
1,3 l	952700030017	50 lids
2,23 l	952700030117	

PASTEUR PIPETTE

Chemical-resistant 2.2 ml plastic pipettes for precise dosing of the smallest amounts of liquid.



Article no.	SU
957900030017	500 pcs.

VKWG: 9547 | VKWK: 971

PLASTIC MEASURING CUP

For measuring varnishes, stains and other liquids. Available in 1 litre or 3 litres.



Größe	Article no.	SU
1 l	961700030011	1 pc.
3 l	961700030111	

VKWG: 9547 | VKWK: 971

PE FILM T400

Transparent cloudy PE film (200 MY) for achieving a natural concrete look / a concrete effect Dimensions: 1 m x 25 m, 200 MY.




Article no.	SU
980900030001	1 roll

VKWG: 9547 | VKWK: 971

EQUIPMENT FOR PAINTING BOOTHS

ESD BLACK GRATING COVER

The electrically conductive plastic grating can be easily placed over the spray booth grating, preventing contamination from paint overspray. The cover is easy to replace. Dimension: 497.5 x 501.6 x 35 mm, mesh size: 30 x 30 mm



Article no.	SU
967200030117	17 pcs.

VKWG: 9556 | VKWK: 971

ANDREA FILTER

The 60 mm thick, dimensionally stable filters improve the separation level in the spray booth by means of the centrifugal force separation principle. Due to the higher colour storage capacity and a constant flow resistance during paint mist collection, the conditions of use of the booth are more stable and homogeneous.



Size	Article no.	SU
0.75 x 13.35 m	967300030011	1 carton
1 x 10 m	967300030211	1 carton
0.90 x 11.11 m	967300030111	1 carton

VKWG: 9556 | VKWK: 971

SURFACE FILTER

The filter is made of a high performance non-woven fabric and is constructed so that it achieves optimum filter performance and dust storage capacity at a low pressure differential. The mat is actively adhesive and provides security against the ingress of dust. The fibre layer density increases on the clean air side and thus improves the storage of paint and dust particles.

- ✓ Moisture and temperature resistant
- ✓ Protects against paint deposits



Size	Article no.	SU
0,75 x 20 m	968800030011	1 roll
1 x 20 m	968800030211	1 roll

VKWG: 9556 | VKWK: 971

SURFACE FILTER WATER VARNISH

High-quality filter especially for the filtration of water-based varnish particles in spray booths. The surface filter guarantees a high separation level with a low pressure loss at the same time. This is made possible by its extremely fine, very elastic glass fibres.

- ✓ High storage capacity and long pot life
- ✓ for motors and exhaust ducts
- ✓ Saving of energy costs due to high inherent stability



Size	Article no.	SU
0,75 x 20 m	969700030011	1 roll
1 x 20 m	969700030111	1 roll

VKWG: 9556 | VKWK: 971



MASKING FILM

Self-adhesive, UV-resistant protective film for full-surface masking of e.g. spray booths and flood installations. The resistant LDPE film can be used indoors and outdoors and protects from mechanical and chemical damage.

- ✓ Professional protection of systems and for various types of work
- ✓ Resistant to water, thinners and oil
- ✓ Temperature resistant up to 40° C



Size	Article no.	SU
0,5 x 100 m	969400030011	1 roll

VKWG: 9547 | VKWK: 971

KIPP-BOY CONTAINER POURER

The Kipp-Boy made of solid sheet steel is ideal for filling canisters in an energy-saving manner. The pourer can be easily attached to the floor or wall. As a result, it is always well positioned.

- ✓ For trouble-free and power-saving filling of canisters
- ✓ Adjustable for containers up to 30 kg



Article no.	SU
981000030011	1 pc.

VKWG: 9547 | VKWK: 971

SPRAY GUN CLEANING DEVICE IMAGO SMART MARX

The spray gun cleaning device made of stainless steel can clean cup and hose type spray guns inside and out. Compact, with only one wash chamber; dimensions (W x D x H): 640 x 510 x 370 mm.

- ✓ Automatic cleaning and clear rinsing
- ✓ Solvent and water cleaning possible



Description	Article no.	SU
iMAGO Smart	981100030011	1 pc.
Base	981100030111	1 pc.

VKWG: 9556 | VKWK: 971

CLEANING PAPER SOFT 2-PLY WHITE

2-ply cellulose paper for gentle cleaning and maintenance of delicate surfaces. The cleaning paper is suitable for wet and dry wiping.

- ✓ Lint-free cleaning cloth roll
- ✓ Volume embossed and perforated



Article no.	SU
966100030017	2 rolls of 900 sheets

VKWG: 9547 | VKWK: 971

COAGULATION SET MARX

Set for the treatment of dirty paint water resulting from the cleaning of paint recovery systems, application equipment or flooding systems for the professional disposal in the sewage system. By adding flocculant and stirring with the coagulation stick, the paint water settles and can be filtered.

- ✓ easy to use
- ✓ low investment costs – highly efficient
- ✓ space-saving



- What's included:
- 2 x 30 litre plastic containers
 - 1 perforated metal top section with supporting triangle
 - 10x coarse filters
 - 1x fine filter
 - 1 pneumatic coagulation stick

Description	Article no.	SU
Complete set	941600030017	1 set
Fine filter	941600030117	1 pc.
Coarse filter	941600030217	10 pcs.
Flocculant	941600030301	25 kg
Perforated metal top section	941600030401	1 pc.

VKWG: 9556 | VKWK: 971

WIPE AND POLISHING CLOTH

Solvent-resistant wipe and polishing cloth for cleaning and polishing highly sensitive materials. The delicate polishing cloth consists of 100 % viscose non-woven fabric.

- ✓ For cleaning and polishing
- ✓ Solvent-resistant
- ✓ Embossed and perforated



Article no.	SU
966200030011	1 roll

VKWG: 9547 | VKWK: 971



SANDING & POLISHING

SANDING MACHINES



ELECTRIC RANDOM ORBITAL SANDER MIR

The Mirka DEROS eccentric is low-maintenance, reliable and durable. Perfect for lacquer grinding work. Thanks to the symmetrical design, you can work just as comfortably with the left as with the right hand. The very low vibration and volume values make the work easier and protect the health of the user.

- ✓ Vibration sensor and Bluetooth connectivity*
- ✓ Extraction with industrial vacuum cleaners
- ✓ No transformer required



Stroke	Article no.	SU
2.5 mm	954000030001	1 pc.
5 mm	954000030101	1 pc.

Description	Article no.	SU
Replacement cable 230 V; 4.3 m	954000030111	1 pc.

VKWG: 9540 | VKWK: 971

GRINDING DISC MIRKA

Grinding disc Ø 150 mm for Deros eccentric with central air inlet. The channels at the edges of the pad direct fresh air into the centre of the pad. This efficiently removes dust from the centre of the pad. The formation of dust knots is considerably reduced.

- ✓ For 6, 7 and 15-hole as well as Abranet discs
- ✓ 5/16" thread



Stroke	Article no.	SU
2.5 mm	954000030001	1 pc.
5 mm	954000030101	1 pc.

VKWG: 9540 | VKWK: 971

PROTECTIVE PAD ABRANET

To prevent damage to the sanding disc, protective pads Ø 150 mm made of particularly resistant material are a great advantage. The protective pad is attached to the velcro backing of the sanding disc, underneath the sanding disc. The design without perforations has a sealing effect and effectively protects the grinder from oil contamination and possible oil residue.

- ✓ Protects the sanding disc from damage
- ✓ Double-sided covered with velcro



Description	Article no.	SU
Protective pad	968900030017	5 pcs.
Disc sealing pad	961000030017	5 pcs.

VKWG: 9540 | VKWK: 971

BLACK DRY GUIDE COAT POWDER MIRKA

Dry guide coat powder is used for visual inspection of surfaces to be ground. The finest irregularities and smallest imperfections become visible. This gives the user more confidence when carrying out grinding by hand or machine.

- ✓ With flexible hand block
- ✓ Can be grounded immediately
- ✓ For light surfaces



Article no.	SU
953900030011	1 pc.

VKWG: 9540 | VKWK: 971

SANDING TOOLS

HAND BLOCK WITHOUT SUCTION

The hand block 78 x 87 x 148 mm without suction supports ergonomic grinding. Suitable for grinding grids DN 150 mm.

Article no.	SU
954800030111	1 pc.

VKWG: 9540 | VKWK: 971



HAND SANDER

Ergonomically shaped hand sander 103 x 210 mm for fatigue-free hand sanding with sandpaper sheets and rolls. The quick-action clamping devices make it easy to clamp the sandpaper.

Article no.	SU
955600030011	1 pc.

VKWG: 9540 | VKWK: 971



VARNISH SCRAPER

The scraper is used for removing old layers of varnish, waxes or oils and for correcting small irregularities in the varnish.

Article no.	SU
950400030011	1 pc.

VKWG: 9540 | VKWK: 971



BRASS WIRE BRUSH CRIMPED 4-ROWS

For brushing and cleaning old, weathered wooden surfaces. The slightly curved wooden handle sits well in the hand and enables precise work. The finely crimped brass wire pins remove pore-deep paint residues.

Article no.	SU
959500030011	1 pc.

VKWG: 9540 | VKWK: 971



BRASS WIRE BRUSH WITH STRAP

The brush approx. 215 x 100 mm is used for brushing and cleaning old, weathered wooden surfaces and for brushing out porous woods. The soft brass wire pins remove pore-deep paint residues and loose wooden parts.

Article no.	SU
952200030011	1 pc.

VKWG: 9540 | VKWK: 971



NATURAL FIBRE BRUSH

The handmade scrubbing brush 165 x 37 mm with natural fibres (length 22 mm) is suitable for thorough cleaning of wooden and plastic surfaces.

Article no.	SU
954900030011	1 pc.

VKWG: 9540 | VKWK: 971



SANDING MATERIALS



OIL PAD WHITE

Oil pad without grain for efficient oil application as an alternative to brushes or cloths. It is suitable for softwoods, hardwoods and exotic woods such as Mahogany and Teak.

Article no.	SU
960900030017	10 pcs.

VKWG: 9540 | VKWK: 971



ABRANET ECCENTRIC GRINDING GRID

This universal grinding grid enables almost dust-free grinding of varnishes, plastics, soft aluminium, softwood, etc. The numerous holes improve the dust extraction. Available in grit size 80 – 1000, dimensions: Ø 150 mm.

- ✓ Optimal for intermediate lacquer grinding
- ✓ Smoothing before and after all primers
- ✓ Suitable for profiles, edges and folds




Grit	Article no.	SU
Grain size 60	955400030017	25 pcs.
Grain size 80	955400030117	50 pcs.
Grain size 100	955400030217	
Grain size 120	955400030317	
Grain size 150	955400030417	
Grain size 180	955400030517	
Grain size 240	955400030617	

Grit	Article no.	SU
Grain size 320	955400030717	50 pcs.
Grain size 360	955400030817	
Grain size 400	955400030917	
Grain size 600	955400036017	
Grain size 800	955400036117	
Grain size 1000	955400036217	

VELCRO-SANDING DISCS 15-HOLE

These sanding discs on paper base are an excellent abrasive for universal sanding of wood, paint or varnish, filler and plastic. The 15-hole pattern aids optimal dust extraction. Dimensions: Ø 150 mm.

- ✓ Using on random orbital sanders, hand-sanding pads with a strap or hand-sanding blocks



Grit	Article no.	SU
Grain size 120	953700030017	100 pcs.
Grain size 150	953700030117	
Grain size 180	953700030217	

Grit	Article no.	SU
Grain size 240	953700030317	100 pcs.
Grain size 320	953700030417	

VKWG: 9540 | VKWK: 971

FINISH PAPER SHEETS 3M

3M 618 finishing paper 230 x 280 mm on particularly flexible A-paper backing. It is very adaptable and achieves excellent grinding results in profile lacquer grinding applications.

- ✓ Optimal for profile lacquer grinding applications
- ✓ Open, dust-repellent dispersion



Grit	Article no.	SU
Grain size 150	955300030017	50 pcs.
Grain size 180	955300030127	100 pcs.
Grain size 220	955300030227	100 pcs.
Grain size 240	955300030317	50 pcs.

Grit	Article no.	SU
Grain size 280	955300030427	100 pcs.
Grain size 320	955300030527	100 pcs.
Grain size 400	955300030617	50 pcs.

VKWG: 9540 | VKWK: 971

FINISHING PAPER ROLL 3M

3M 618 finishing paper roll 50 m x 115 mm is an excellent varnish grinding tool. The open silicon carbide grain scattering and a dust-repellent coating prevent premature clogging. For grinding by hand as well as on orbital grinding machine.

- ✓ For manual grinding and for the orbital grinder
- ✓ No premature clogging
- ✓ Open, dust-repellent coating



VKWG: 9540 | VKWK: 971

Grit	Article no.	SU
Grain size 150	951300030011	1 roll
Grain size 180	951300030111	
Grain size 220	951300030211	
Grain size 240	951300030311	
Grain size 280	951300030411	

SANDPAPER – GREY-WHITE

Premium abrasive on a latex paper base, particularly suitable for sanding painted or varnished surfaces and hard surfaces. Colour: grey-white; use: wood, filler, paint or varnish, putty, plastic; available in sheets and rolls.



VKWG: 9540 | VKWK: 971

Designation	Grit	Article no.	SU
Sheet 230 x 280 mm	Grain size 180	983000030417	50 pcs.
	Grain size 220	983000030517	
	Grain size 240	983000030617	
	Grain size 280	983000030717	
	Grain size 320	983000030817	

Description	Grit	Article no.	SU
Roll 50 m x 115 mm	Grain size 180	983100030417	1 roll
	Grain size 220	983100030517	
	Grain size 240	983100030617	
	Grain size 280	983100030717	

ABRASIVE FLEECE

The grinding grains are evenly distributed over the entire fibre. The fleece 150 x 230 mm thus offers very good grinding properties and is suitable for use on dry and wet substrates.

- ✓ Even grinding result
- ✓ On wet and dry substrates



VKWG: 9540 | VKWK: 971

Colour	Grit	Article no.	SU
Red	Very fine	964000030017	10 pcs.
Grey	Ultra fine	964000030117	

ABRASIVE FLEECE ROLL

The abrasive fleece 10 m x 100 mm is ideally suited for cleaning, deburring, matting or achieving a decorative line pattern on all varnishes, species of wood, ferrous and non-ferrous metals and plastics.

- ✓ Removes impurities, oxidation and dirt
- ✓ Can be used on dry and wet substrates



Article no.	SU
965900030111	1 roll

VKWG: 9540 | VKWK: 971

GRINDING SPONGE BLACK

This universal hand pad 100 x 70 x 27 mm is suitable for grinding profiles, edges and folds. It can be used for intermediate varnish grinding, smoothing before and after all primers as well as for fine wood grinding.



Grit	Article no.	SU
Grain size 150	965600030117	50 pcs.
Grain size 220	965600030217	

VKWG: 9540 | VKWK: 971

GRINDING SPONGE WHITE

The white coated sponge 100 x 70 x 27 mm can be used universally and is suitable for grinding profiles, edges and folds on light woods and colours. It can be used for intermediate varnish grinding, smoothing before and after all primers as well as for fine wood grinding.



Grit	Article no.	SU
Grain size 100	969900030017	50 pcs.
Grain size 150	969900030117	
Grain size 220	969900030217	

VKWG: 9540 | VKWK: 971

GRINDING MAT BLACK

The very versatile grinding mat 123 x 98 x 12 mm is particularly suitable for grinding edges and narrow radii.

- ✓ Particularly flexible in adaptation
- ✓ Easy to clean



Grit	Article no.	SU
Grain size 100	964400030117	50 pcs.
Grain size 100	964400030217	

VKWG: 9540 | VKWK: 971

GRINDING MAT WHITE

White, flexible grinding mat 123 x 98 x 12 mm, specially designed for grinding light-coloured woods and light-coloured varnish colours.

- ✓ Powdered white on both sides
- ✓ Particularly flexible in adaptation, even with edges and tight radii



Grit	Article no.	SU
Grain size 100	969800030017	50 pcs.
Grain size 150	969800030117	
Grain size 220	969800030217	

VKWG: 9540 | VKWK: 971

SANDING MATERIALS

SOFT SANDPAPER ON ROLLS

The flexible finishing paper 115 x 125 mm on a 4 mm foam backing can be used for dry and wet grinding. Due to its flexibility, it is especially suitable for hand grinding of corners, angles, profiles, moulded parts and surfaces.

Grit	Article no.	SU
Grain size 150	953600030017	1 roll á 25 m
Grain size 220	953600030217	
Grain size 320	953600030517	

VKWG: 9540 | VKWK: 971



GRINDING BLOCK COMBI

The grinding sponge 98 x 69 x 26 mm, grit 220, rounded on one side and bevelled on the other, is ideal for individual, difficult processing in different areas of application. It can be used for polishing varnish, paint, filler, filling paste, plastic, metal and wood finishing.

- ✓ **COMBI grinding block: round and oblique**
- ✓ **Material: medium strength polyurethane foam**



Grit	Article no.	SU
Grain size 220	953000030017	10 pcs.

VKWG: 9540 | VKWK: 971

MICROFIBRE CLOTH GREEN 3M

The 3M microfibre cloth is suitable for cleaning sensitive surfaces. Due to the special fibre structure, the microfibre cloth has an extremely high absorbency of dirt, dust and grease residues. Available in green, 360 x 320 mm.

Article no.	SU
967700030017	5 pcs.

VKWG: 9542 | VKWK: 971



MIRKA MICROFIBRE CLOTH GREY

Microfibre cloth 400 x 400 mm is gentler on the surface and leaves fewer scratch marks. It is suitable for cleaning sensitive surfaces and has an extremely high absorption capacity thanks to its special fibre structure.

Article no.	SU
967700030117	2 pcs.

VKWG: 9542 | VKWK: 971



POLISHES



LAMBSKIN POLISHING PAD TOPNATUR

The DN 150 mm polishing lambskin pad is made from natural lambskin. It is always used for the first polishing step to remove sanding scratches.

- ✓ **With velcro back**




Article no.	SU
960600030017	2 pcs.

VKWG: 9542 | VKWK: 971

WHITE FELT POLISHING PAD

The DN 150 mm flat polishing sponge is made of open-cell foam. The heat generated during polishing is dissipated more easily.

- ✓ **For the removal of deep scratches**
- ✓ **With velcro back**




Article no.	SU
960700030017	10 pcs.

VKWG: 9542 | VKWK: 971

BLACK DIMPLED POLISHING SPONGE

This soft DN 150 mm pad consists of an open-cell foam with a characteristic wave shape, which leads to cooling of the paint and the foam.

- ✓ **With velcro back**



Article no.	SU
960800030011	1 pc.

VKWG: 9542 | VKWK: 971

TRIZACT FINE GRINDING WHEEL 3M

For fast removal of varnish runners and orange peel. Guarantees even removal with a long pot life. When used, new, sharp abrasive grains are constantly released, thus maintaining a consistently fine roughness depth throughout the entire grinding process.

- ✓ **Pyramidal structure, longer service life**
- ✓ **Even removal with a long pot life**



Grit	Article no.	SU
Grain size 3000	967400030017	15 pcs.

VKWG: 9542 | VKWK: 971

HOOKIT GRINDING DISC 3M

Flexible abrasive Ø 150 mm with high adaptability to design edges and curves. Allows grinding of difficult areas in both wet and dry grinding processes. The use of this material enables faster and more even removal with less deep scratches. Grinding grain: aluminium oxide anti-stick coating.

- ✓ Very good grinding performance
- ✓ Excellent finish



Grit	Article no.	SU
Grain size 1000	968400030017	25 pcs.
Grain size 1500	968400030117	

VKWG: 9540 | VKWK: 971

EMERY CLOTHS 3M

3M Finesse-it Trizact Film grinding discs Ø 33 mm are suitable for fast grinding out of fine scratches. After processing with the conventional abrasive and before the first polishing step.




Grit	Article no.	SU
Grain size 3000	968100030017	1 sheet of 100 pcs.

VKWG: 9542 | VKWK: 971

NANO EASY CLEANER

Cleaning sponge for quick and easy cleaning of paint surfaces. The special nano coating ensures that paint mist can be removed easily.



Article no.	SU
953800030011	1 pc.

VKWG: 9540 | VKWK: 971

COARSE GRINDING PASTE 3M

3M Perfect-it III PLUS grinding paste produces a high level of gloss at high performance. The coarse grinding paste offers very good wiping characteristics and can be used for a long time.



Article no.	SU
968200030011	1 kg

VKWG: 9542 | VKWK: 971

EXTRA FINE GRINDING PASTE 3M

3M Perfect-it III Extra Fine PLUS grinding paste is particularly suitable for removing small and very small scratches, swirls and hazes (spray mist, grinding grooves, spraying transitions).

- ✓ No streaks with dark varnishes
- ✓ Suitable for machine processing



Article no.	SU
968300030011	1 l

VKWG: 9542 | VKWK: 971

HIGH-PERFORMANCE WAX 3M

3M Polish Rosa high-performance wax is used as the final work step to protect the highly polished paint surface.

- ✓ Increases the longevity of the gloss level
- ✓ Good processing



Article no.	SU
967800030011	1 l

VKWG: 9542 | VKWK: 971





PAINTING & COATING

PAINTBRUSHES



SPECIAL BRUSH SOLVAMAXX PLUS

Professional quality brush for solvent-based varnishes and transparent wood finishes. This special brush delivers perfect coating results without visible brush strokes. It has very fine polyester bristles and is solvent resistant.

Size	Article no.	SU
50 mm	952500030011	1 pc.
100 x 30 mm	952500030111	1 pc.

VKWG: 9541 | VKWK: 971



WHITWASH BRUSH SOLVENT

Wall brush made of high-quality polyester bristle mixture with plastic body and handle for the use of solvent-based wood preservation products.

Size	Article no.	SU
70 x 30 mm	959900030017	12 pcs.
120 x 30 mm	959900030117	

VKWG: 9541 | VKWK: 971



GLAZE BRUSH HS 50

High-quality brush for applying transparent wood finishes. The brush made of Chinese bristle is especially suitable for the renovation and repainting of windows with Pullex Fenster-Lasur. The short bristles accentuate the grain of the wood.

Size	Article no.	SU
50 mm	952300030011	1 pc.

VKWG: 9541 | VKWK: 971



AQUAMAXX PLUS

The brushes of the Aquamaxx series are ideal for water-based paints and varnishes. They deliver a perfect coating result. The brushes are equipped with an ergonomic wooden handle and exclusive polyester filament.

- ✓ High elasticity, dimensionally stable, supple
- ✓ Excellent colour absorption with even colour distribution
- ✓ Durable

Size	Article no.	SU
40 mm	950800030011	1 pc.
60 mm	950800030111	
100 x 30 mm	950800030211	

VKWG: 9541 | VKWK: 971



FLAT BRUSH ULTIMO

Professional brush for all water-based and solventbased paints and varnishes. The brush is designed with a hardwood handle and a stainless steel ferrule. Due to the high paint absorption and paint release, it produces a very good colour gradient and finish.

Size	Article no.	SU
30 mm	957700030011	1 pc.
40 mm	957700030111	
50 mm	957700030211	
60 mm	957700030311	
80 mm	957700030411	

VKWG: 9541 | VKWK: 971



PAINTBRUSHES



FINE PAINT BRUSH 150/P1

This particularly fine bristle brush is especially suitable for repair work on various substrates. Available in 1.5 mm width.

- ✓ Enables precise work
- ✓ Precise application



Article no.	SU
952400030011	1 pc.

VKWG: 9541 | VKWK: 971

FLOOR BRUSH FOR OILS

This special brush is suitable for the application of floor oils. Thanks to the high-quality natural bristles, the oil is optimally massaged into the wood.



Size	Article no.	SU
220 mm	952600030011	1 pc.

VKWG: 9541 | VKWK: 971

STAINING BRUSH WITH LEATHER INSERT

The coarse brush is suitable for brushing out waxed surfaces. The use of leather quickly results in a smooth surface and the desired shine. Especially for Arova Wax (wax stain).



Article no.	SU
952000030011	1 pc.

VKWG: 9541 | VKWK: 971

STAIN BRUSH OVAL

The fine horsehair brush is suitable for brushing out waxed surfaces and leaves an elegant shine. The fine bristles create a uniform surface without leaving scratches. Especially for Arova Wax (wax stain).



Article no.	SU
951100030011	1 pc.

VKWG: 9541 | VKWK: 971

BRUSH FOR STAINING & DUSTING

The fine brush is used to distribute suitable water stains. It ensures that the stain penetrates the pores and is evenly distributed. Can also be used for dusting and cleaning all surfaces. Bristle length 60 mm.



Size	Article no.	SU
160 x 32 mm	952100030011	1 pc.

VKWG: 9541 | VKWK: 971

PAINTING AND IMPREGNATION MACHINE JELLY

The compact dimensions of the impregnation machine allow easy assembly and disassembly in limited spaces in the workshop or on the construction site. 1 to 4 sides of wooden elements (size max. 300 x 90 mm) can be painted simultaneously. The result: an optimal, uniform impregnation all around. Dimensions: 70 x 61 x 127 cm (L x W x H)

- ✓ recommended ADLER products: Lignovit Lasur and similar
- ✓ capacity: approx. 200 m² per hour
- ✓ spare parts available



TO THE PRODUCT VIDEO



VKWG: 9541 | VKWK: 971

Description	Article no.	SU
Painting and impregnation machine	941700030017	1 set
Foam rollers	941700030117	6 pcs.
Roll holder	941700030217	4 pcs.
Brushes	941700030317	12 pcs.
Brush holder	941700030417	8 pcs.
Drain taps	941700030517	3 pcs.

HOLDER AND PADS FOR OIL APPLICATION

Pad holder 13 x 9 cm with ergonomic handle together with the yellow oil pad for manual oil processing.



Description	Article no.	SU
Oil pad holder	953200030111	1 pc.
Oil pad	953300030117	10 pcs.

VKWG: 9541 | VKWK: 971

PAINTING PADS

Practical tool for applying coatings, 6 x 3 cm for narrow wooden components and windows. Ideal for the efficient application of care products and cleaners. The adjustable spacer ensures that the correct distance from the glass is maintained and prevents coating of the silicone joint.



Article no.	SU
955500030211	1 pc.

VKWG: 9545 | VKWK: 971

BROAD PAINTING PADS

Surface painting pad 20 x 8 cm for emulsion paints, wood paints/varnishes and glazes, with a fixed angle. The painting pad is very versatile and can be used with any wood substrate.

- ✓ Fast and even application
- ✓ Ideal for large surfaces, such as exterior doors or steps



Description	Article no.	SU
Painting pads	955500030311	1 pc.
Replacement pads	955500030411	

VKWG: 9545 | VKWK: 971

CONCAVE SUPERFLOCK VARNISHING ROLLER

This universal varnish roller (Ø 35 mm) is suitable for rolling water-based varnishes and low-solvent synthetic resin varnishes on fine surfaces. It leaves no rolling marks and has hair-thin fibres that absorb the colour very well.

- ✓ Application without rolling marks or paint edges
- ✓ Good colour absorption due to separate fine fibres



Size	Article no.	SU
100 mm	958500030017	10 pcs.

VKWG: 9543 | VKWK: 971

PROFESSIONAL FOAM VARNISHING ROLLER

This varnishing roller consists of an extra fine foam and is therefore suitable for the application of synthetic resin varnishes and is conditionally solvent-resistant.

- ✓ No bubbles when varnishing
- ✓ Made of extra fine foam



Size	Article no.	SU
100 mm	958400030017	10 pc.

VKWG: 9543 | VKWK: 971

SHORT HAIR ROLLER

High-quality paint roller made of microfibre yarns and a polyester blend with a shearing height of 5 mm. The short hair roller is suitable for the application of acrylic and alkyd resin lacquers, PU varnishes and oils.

- ✓ No streaking and rolling marks
- ✓ Good colour flow



Size	Article no.	SU
100 mm	950900030017	10 pc.
250 mm	950900030117	

VKWG: 9541 | VKWK: 971

EXQUISITE-PAINT ROLLER ULTIMO

Non-padded paint roller (Ø 102 mm) for the application of wall and facade paints. It is suitable for application on smooth or slightly structured substrates and achieves a uniform result.



Size	Article no.	SU
250 mm	958900030011	1 pc.

VKWG: 9541 | VKWK: 971

PLUG-IN BRACKET FOR VARNISH ROLLER

This bracket should be used in conjunction with the varnishing and painting rollers. It is made of metal with a plastic handle.

- ✓ Handle fits well in the hand
- ✓ Rustproof metal



Size	Article no.	SU
100 mm	951200030011	1 pc.
250 mm	951200030111	

VKWG: 9541 | VKWK: 971

PROFESSIONAL PAINT TRAY

Universal paint tray or varnishing tray made of shatterproof and solvent-resistant plastic. Suitable for the absorption of paints and varnishes with a small paint roller. The varnish tray is ribbed, stackable and can be hung up.



Size	Article no.	SU
160 x 310 mm	956700030011	1 pc.
210 x 220 mm	956700030111	
280 x 360 mm	956700030211	

VKWG: 9541 | VKWK: 971



PRO TAPE MASK 458 MASKING TAPE

Professional quality masking tape (length 50 m). This universal adhesive tape provides clean colour line edges and is heat resistant up to 80° C.



Width	Article no.	SU
19 mm	955900030017	48 pcs.
30 mm	955900030117	32 pcs.
50 mm	955900030217	24 pcs.

VKWG: 9547 | VKWK: 971

MASKING TAPE BLUE LINE MIRKA

Waterproof and UV-resistant masking tape (length 50 m) for indoor and outdoor masking applications.

- ✓ Temperature resistance up to 100°C
- ✓ Residue-free removal



Width	Article no.	SU
18 mm	945400030011	1 pc.
30 mm	945400030111	
48 mm	945400030211	

VKWG: 9547 | VKWK: 971

PRO TAPE GOLD 488 MASKING TAPE

Professional quality masking tape for sharp edges indoors and outdoors, UV-resistant and heat-resistant up to 125° C.



Width	Article no.	SU
19 mm	956100030211	1 pc.
25 mm	956100030011	
38 mm	956100030111	

VKWG: 9547 | VKWK: 971

MASKING PAPER WITH ADHESIVE TAPE

Masking paper and adhesive tape in one. For covering and masking small, narrow surfaces such as window sills. The adhesive tape prevents the masking paper from slipping.

- ✓ Highly tear-resistant




Size	Article no.	SU
20 m x 18 cm	945000030011	1 roll

VKWG: 9547 | VKWK: 971

BLUE UV-RESISTANT MASKING TAPE 3M

Professional quality masking tape (length 50 m) suitable for use on smooth surfaces such as windows and furniture surfaces. It is also suitable, for example, for two-colour coatings and repair work. Can be removed without residue within 1 week in sunlight.



Width	Article no.	SU
30 mm	951500030111	1 pc.
48 mm	951500030011	

VKWG: 9547 | VKWK: 971

MASKING PAPER ON ROLLS

High-quality masking paper for safe covering during painting and varnishing work. Can be used for larger surfaces such as furniture and floors.

- ✓ Tread-resistant



Size	Article no.	SU
50 m x 30 cm	945100030011	1 roll

VKWG: 9547 | VKWK: 971

MASKING TAPE WHITE LINE MIRKA

Impregnated paper-based masking tape (length 50 m) for general masking-applications. The natural rubber adhesive provides instant adhesion and residue-free removal.

- ✓ Temperature resistance up to 100°C
- ✓ Suitable for varnish-, wood-, metal and plastic-surfaces



Width	Article no.	SU
18 mm	945200030011	1 pc.
30 mm	945200030111	1 pc.
48 mm	945200030211	1 pc.

VKWG: 9547 | VKWK: 971

PAINT OVERALL 3M*

The overall protects against dirt and paint stains during varnishing and painting work and is breathable at the same time. An elastic band is worked into the hood, sleeves and legs.



Size	Article no.	SU
L	957300030011	1 pc.
XL	957300030111	
XXL	957300030211	

VKWG: 9544 | VKWK: 971

PAINTING OVERALLS MULTI-USE*

The reusable overall with hood is dirt and water repellent. The antistatic and silicone-free material is washable and ironable and comfortable to wear.

- ✓ **Extremely tear-resistant material**
- ✓ **Multiple use**



Size	Article no.	SU
L	957100030011	1 pc.
XL	957100030111	
XXL	957100030211	
3XL	957100030311	
4XL	957100030411	

VKWG: 9544 | VKWK: 971

FFP2 RESPIRATOR MASK*

The ergonomic FFP2 respirator mask is comfortable to wear, due to the elastic straps, and easy to adjust using the nose strip. It complies with the FFP2 EN149:2001 and A1:2009 FFP2 NR standards and is CE certified (CE 2163). The wearer is protected from harmful particulate substances such as wood and paint dust, as well as droplet infection from viruses and bacteria.

- ✓ **Hygienic respirator mask as personal protective equipment**
- ✓ **Packaged individually**



Article no.	SU
960100030217	20 pcs.

VKWG: 9544 | VKWK: 971

FFA2P3 R D RESPIRATOR MASK 3M*

The special construction of these masks offers the wearer maximum protection and comfort against gases and vapours as well as particles according to protection level FFA2P3 R D (EN 405:2002). The low breathing resistance and an enormous field of vision ensure comfortable and pleasant wearing.

- ✓ **Low breathing resistance**
- ✓ **Large field of vision**



Designation	Article no.	SU
Respirator mask (one-way) FFA2P3 R D	960200030011	1 pc.
Cleaning cloths	960200030117	40 pcs.

VKWG: 9544 | VKWK: 971

REUSABLE HALF-FACE MASK SET SR 900 SUNDSTRÖM*

The SR respirator box is the ideal starter kit. The SR 900 reusable half-face mask included in the box has two exhalation valves ensuring particularly low breathing resistance. The cupped face-piece provides a secure and comfortable fit. By using the continuously adjustable headband, the mask can be adjusted individually. The practical storage box protects the half mask from impurities and damage.

- Scope of delivery of SR respirator box:**
- ✓ **1 piece SR 900 half-face mask, size M**
 - ✓ **1 piece SR 510 P3 R particle filter**
 - ✓ **5 pieces SR 221 pre-filter**
 - ✓ **1 piece Pre-filter holder**
 - ✓ **1 piece SR cleaning cloth**
 - ✓ **1 piece Instructions**



Size	Article no.	SU
M	962400030017	1 set
L	962400030021	1 Stk. (ohne Filter)

VKWG: 9544 | VKWK: 971

REPLACEMENT FILTERS AND ACCESSORIES HALF-FACE MASK SUNDSTRÖM

Designation	Description	Article no.	SU
Particle filter SR 510*	protects against all types of particulate contamination (every 2 – 4 weeks)	962400030101	1 pc.
Gasfilter SR 218-3*	Class 2 type A protects against organic gases and vapours	962400030201	1 pc.
Pre-Filter SR 221*	protects the gas and particle filter from coarse dust	962400030317	5 pcs.
SR Cleaning Cloths	daily cleaning and disinfection of the respirator mask	962400030417	50 pcs.

VKWG: 9544 | VKWK: 971

SAFETY GOGGLES*

Particularly lightweight single lens glasses with streamlined design. Also ideal for use in dirty areas, because the closed surface does not allow dirt particles to adhere.

- ✓ **Tight-fitting**
- ✓ **Especially lightweight**
- ✓ **Suitable for all face types**



Article no.	SU
969100030011	1 pc.

VKWG: 9544 | VKWK: 971

GLOVE NITRIL BLACK STRONG*

Particularly hard-wearing disposable nitrile glove. It protects against oil, liquids, dirt, dust but also light chemicals and solvents. Classified as PPE category III.

- ✓ **for the production and laboratory area**
- ✓ **high wearing comfort**



Size	Article no.	SU
M	945600030017	100 pcs.
L	945600030117	100 pcs.
XL	945600030217	100 pcs.

VKWG: 9544 | VKWK: 971

DISPOSABLE GLOVES DERMATRIL P*

The disposable protective gloves made of nitrile offer a very high wearing comfort, tactile sensitivity and improved grip due to fingertip roughening. The very high chemical resistance (protection category III) and the increased tear resistance complete the property profile.

- ✓ skin friendly
- ✓ free from allergenic substances
- ✓ ideal for daily use



Size	Article no.	SU
M	945500030017	50 pcs.
L	945500030117	
XL	945500030217	
XXL	945500030317	

VKWG: 9544 | VKWK: 971

MULTI-FLEX GLOVE*

Professional quality seamless fine knit in nylon spandex with nitrile microfoam coating and nitrile studs. The gloves offer high abrasion resistance, very good tactile feel, are liquid-repellent, resistant to oils and greases.

- ✓ Very good tactile feel, grip on smooth surfaces
- ✓ Breathable



Size	Article no.	SU
Size 9	956800030117	12 pairs
Size 10	956800030217	
Size 11	956800030317	

VKWG: 9544 | VKWK: 971

SOL-VEX® GLOVE PREMIUM 37-900*

High-quality nitrile glove resistant to solvents, petrol and UV-curing raw materials. Extremely robust and resistant to chemicals. The inside is velourised.

- ✓ Protection category III
- ✓ Inside velourised



Size	Article no.	SU
Size 7	959800030011	1 pair
Size 8	959800030111	
Size 9	959800030211	
Size 10	959800030311	

VKWG: 9544 | VKWK: 971

KRESTO PAINT SKIN CLEANSING*

Soap-free special hand cleaner with very strong cleaning effect for removing strongly adhering dirt such as varnishes, resins, adhesives or oil paints. It has particularly good skin compatibility for the product class „special hand cleaner“.

Size	Article no.	SU
2 l	967100030011	1 pc.

VKWG: 9544 | VKWK: 971



TRAVABON S CLASSIC SKIN PROTECTION*

For the protection of the skin on hands and arms in contact with oily, water-insoluble working materials and non-water-miscible metalworking oils. Skin protection also facilitates skin cleansing when working with strong or strongly adhering, non-water-soluble materials such as oils, varnishes, adhesives or resins.

Size	Article no.	SU
1 l	967000030011	1 pc.

VKWG: 9544 | VKWK: 971



STOKOLAN SOFT & CARE SKIN CARE*

Very fast absorbing care gel, non-greasy, silicone-free, with moisturising glycerine and urea. The gel contains the skin's own energy source creatine and is perfumed.

- ✓ Care gel for hands and face
- ✓ Does not leave a greasy film
- ✓ Fast draw-in

Size	Article no.	SU
1 l	966900030011	1 pc.

VKWG: 9544 | VKWK: 971



STOKO DISPENSER

This stainless steel dispenser can be used variably for skin protection, skin cleansing, skin care and hand hygiene products in 1 litre and 2 litre soft bottles. It is easy to handle and fill and in addition is stable and reliable. Thanks to the „upside-down system“, it can be emptied easily and is completely hygienic, as dispenser and product do not come into contact with each other.

Description	Article no.	SU
Single	968600030011	1 pc.
Triple	968600030111	1 pc.

VKWG: 9544 | VKWK: 971



PUTTY, SEALANTS & GLUE

PUTTIES & SEALANTS



POLY-SPACHTEL FASERVERSTÄRKT

Poly-filler fibre-reinforced is a two-component product based on polyester resin with glass fibre additive. This polyester filler from ADLER is characterised by its good drawability and adheres excellently to metal, wood, stone and plastic.

- ✓ Good bridging of smaller holes (up to approx. Ø 3 cm)
- ✓ For the reinforcement of thinner sheets
- ✓ High filling and stands properties



Size	Article no.	SU
250 g	751308097025	1 pc.

VKWG: 9613 | VKWK: 521

POLY-FÜLLSPACHTEL BEIGE

ADLER's beige Poly-filler is a 2-component polyester-based putty. It is suitable for thick layer filling of large holes. The filler can be used on metal, wood, stone and rigid PVC. Available in 250 g, 1 kg and 2 kg sets, including hardener and plastic spatula.

- ✓ Hardened and grindable after approx. 10 – 15 minutes




Size	Article no.	SU
250 g	751408097125	1 pc.
1 kg	751408097111	
2 kg	751408097120	

VKWG: 9613 | VKWK: 521

POLY-FEINSPACHTEL

Professional two-component polyester filler with good drawability due to particularly creamy consistency. It is particularly suitable for filling cracks and fine irregularities or missing parts in furniture and interior woodwork as well as for levelling metal surfaces.

- ✓ Fast curing and good grindability



Size	Colour	Article no.	SU
250 g	White	752608097214	1 pc.
1 kg	White	752608097211	
	Black	752608097301	
	Brown	752608107001	
	Dark brown	752608107101	
1,5 kg cartridge	Black	752608097311	

VKWG: 9613 | VKWK: 521

POLY-HARDENER 7517

Hardener component for common 2-component polyester-based fillers and resins. Not suitable for Poly-filler transparent.

Tube	Article no.	SU
30 g	751700021030	1 pc.
60 g	751700021060	

Cartridge	Article no.	SU
40 g für 1,5 kg	751700021011	1 pc.

VKWG: 9613 | VKWK: 521




FILLER DOSING DEVICE

Dosing device for Poly-fine filler and Woodfill cartridges. This dosing gun enables a simple and efficient application of two-component putties together with hardeners.

Article no.	SU
752100030001	1 pc.

VKWG: 9685 | VKWK: 521



COMPA REPERATURSPACHTEL WHITE*

Excellent, two-component polyester-based filler for wood indoors and outdoors. For filling small holes and other repair work. In addition to wood, it is also suitable for use on stone, concrete, iron and plastic. Not to be used as a surface filler!

- ✓ Quick drying, quick grindability
- ✓ For good and durable repair

Colour	Article no.	SU
White	752204036401	1 pc.

VKWG: 9685 | VKWK: 521



WOODFILL-REPERATURSPACHTEL*

2-component polyester-based filler with peroxide hardening. This repairfiller is ideally suited for repair work on wood (windows, doors, etc.). Not to be used as a surface filler!

- ✓ High elasticity
- ✓ Excellent workability and grindability
- ✓ Hardens faster in high layer thicknesses than in low layer thicknesses

Colour	Container size	Article no.	SU
White	1200 g	751908097201	1 pc.
Beige		751908097101	

Description	Article no.	SU
Replacement hardener tube*	752000021001	1 pc.

VKWG: 9685 | VKWK: 521



POLY-SPACHTEL TRANSPARENT*

This 2-component polyester-based filler is suitable for the removal of imperfections that have to withstand even heavy stress. Cannot be used as a surface filler. It does not harden in thin layers. Can be used on wood and plastic indoors and outdoors. Available in 250 g, including hardener.

Size	Article no.	SU
250 g	751800023214	1 pc.

VKWG: 9613 | VKWK: 521



KUNSTHARZ-SPACHTEL WHITE

White synthetic resin filler for filling holes and cracks on wood and for metal indoors and outdoors. Recoatable with water-thinnable lacquers, dispersion paints or synthetic resin lacquers.

- ✓ Very high filling power and yield
- ✓ Complete hardening after drying overnight even under unfavourable drying conditions

Size	Article no.	SU
200 g	752304036418	1 pc.
400 g	752304036414	
1 kg	752304036411	

VKWG: 5408 | VKWK: 521



FEINSPACHTEL WHITE

Water-thinnable filler based on acrylic dispersion for filling cracks, holes or small surfaces on wood indoors, metal and masonry indoors and outdoors. Recoatable with water-thinnable varnishes, dispersion paints or synthetic resin lacquers.

- ✓ Universally applicable on various substrate
- ✓ Very high-yield

Size	Article no.	SU
400 g	752504036404	1 pc.
1300 g	752504036413	

VKWG: 9552 | VKWK: 405



ARTEKO-ELASTIK

Water-thinnable, extremely high solids and highly elastic filler based on high polymer. For use on wooden windows and doors (glazing bars and V-grooves).

- ✓ Prevents capillary water uptake via end-grain areas
- ✓ Permanently elastic even after years of weathering

Colour	Size	Article no.	SU
White	320 ml	752704036401	1 pc.
Colourless		752700023201	

VKWG: 9687 | VKWK: 972



* This product is not available in Germany!

* This product is not available in Germany!

PUTTIES & SEALANTS

ADLER SEALANT WHITE

Water-based, elastic joint filler for filling joints and narrow cracks protects against water penetration. Excellent adhesion, extreme water resistance, excellent weathering and aging resistance characterize the product.

- ✓ Easy processing
- ✓ Very good drying
- ✓ Low odor

Size	Article no.	SU
310 ml	753104036401	1 pc.

VKWG: 9687 | VKWK: 972



MALER-ACRYL EXPRESS WHITE

Plastoelastic acrylic sealant for filling small cracks and joints, suitable for interior and exterior use. This fast-drying sealant can be used on plaster, gypsum plasterboard and concrete and you can paint straight over it. Key properties: minimal formation of cracks and very little shrinkage.

Size	Article no.	SU
300 ml	753804036401	1 pc.

VKWG: 9687 | VKWK: 972



3-SET JOINT SPATULA SET

Multifunctional three-part spatula set for stripping sealants on smooth, rough and corrugated surfaces as well as on narrow areas such as V-joints and curves. Rinsing and other separating agents are not required.

- ✓ No masking necessary
- ✓ Suitable for all sealants

Article no.	SU
983200030017	1 set

VKWG: 9547 | VKWK: 971



WOOD GLUE

ADLER WEISSLEIM D2

Universally applicable glue with favourable open time. It is suitable for all types of interior wood gluing and meets the requirements of stress category D2 in accordance with EN 204.

Size	Article no.	SU
5 kg	980300030005	1 pc.
30 kg	980300030030	

VKWG: 9549 | VKWK: 971



W-LEIM PLUS 3000

The self-curing glue powder is ideally suited for gluing, veneering and film coating between 70° C – 140° C. The glue is characterised by its particularly low formaldehyde emissions.

Article no.	SU
958100030025	5 x 5 kg

VKWG: 9549 | VKWK: 971



GLUE SPATULA

For glue application of all common surface and assembly glues. Can be used on all types of wood. Made of stainless steel with wooden handle.

Size	Article no.	SU
180 mm	963600030011	1 pc.

VKWG: 9541 | VKWK: 971



PFOHL GLUE ROLLER

The hand glue roller (width 150 mm) allows a fast and completely uniform application of all types of glues and adhesives. Saves working time and material due to easy handling and measurable glue application. It is not necessary to wipe glue off edges, and on curved surfaces the glue can be applied effortlessly.

- ✓ Aluminium glue roller
- ✓ Completely even and measurable glue application
- ✓ For glues and adhesives of all kinds

Article no.	SU
953400030011	1 pc.

VKWG: 9541 | VKWK: 971



PFOHL SPONGE RUBBER ROLLER GRAY

The sponge rubber roller grey has a ribbed, poreless surface and can be used for white glues, glues with hardener additive and other water-dilutable glues and adhesives. Cleaning is very easy (Attention: roller is not acid-resistant!).

Article no.	SU
953500030011	1 pc.

VKWG: 9541 | VKWK: 971





REPAIRS & MAINTENANCE

REPAIR



GRILITH HOLZKIT

For repairing small cracks, bad veneer joints or holes due to fallen knots. Application before varnishing on untreated wood. The filling compound is impact-resistant and does not crack. Suitable colour for every type of wood.

- ✓ After hardening it can be processed like solid wood
- ✓ Colours can be mixed with each other
- ✓ Stainable and recoatable




Size	SU
100 ml	1 pc.
200 ml	1 pc.

VKWG: 5090 | VKWK: 303

Colour shade	100 ml	200 ml
Maple	750104034718	750104034714
Spruce/Birch/Ash	750104035418	750104035414
Natural	750104035918	750104035914
Pine	750104035618	750104035614
Oak	750104034918	750104034914
Beech/Larch	750104034818	750104034814
Walnut	750104036018	750104036014

Colour shade	100 ml	200 ml
Dark Walnut	750104036118	750104036114
Cherry/Alder	750104035718	750104035714
Mahogany	750104035818	750104035814
White	750104036418	750104036414
Black	750104036218	750104036214



GRILITH HOLZWACHSSTANGEN

For repairing imperfections on stained, glazed or lacquered interior wooden surfaces that are subject to less stress. The soft wax sticks can be shaped at room temperature and can be used without preparation. The wax is lightfast, does not shrink and can be painted over with Grilith clear lacquer spray.

- ✓ For repairing small scratches, cracks, holes or pressure points
- ✓ For solid wood and veneer as well as interior plastic surfaces



Article no.	SU
See table below	1 pc.
702700030017	Set à 20 pc.*

VKWG: 9571 | VKWK: 303

Colour shade	Art. Nr.
White	702704034611
Maple	702704032511
Spruce/Birch/Ash	702704033111
Ash	702704032911
Pine	702704033211
Oak	702704032711
Cherry	702704033511
Walnut	702704034311
Beech/Larch	702704032611
Cherry	702704033411
Light grey	702704033611

Colour shade	Art. Nr.
Natural	702704034111
Dark Walnut	702704034411
Alder	702704032811
Macore	702704033711
Mahogany	702704033811
Mahogany dark	702704033911
Medium grey	702704034011
Walnut	702704034211
Black	702704034511
Colourless	702704033011
Reddish Pine	702704033311

*Colourless and Reddish Pine not included in the set.

GRILITH HARTWACHSSTANGEN

A high-quality wax product for repairing all damages in the surface and edge area that is subject to greater stress. Grilith hard wax sticks are also suitable for repairing doors and windows. The hard wax is dissolved with a hard wax melter, it hardens very quickly, does not shrink and is highly light-resistant.

- ✓ For repair work on surfaces subject to particular stress
- ✓ Also suitable for edge areas



Article no.	SU
See table below	1 pc.

VKWG: 9571 | VKWK: 303

Colour	Art. Nr.
Colourless	702604030611
White	702604032311
Light Beech	702604030311
Willow	702604032211
Gold	702604031011
Beech	702604030211
Light Elm	702604031811
Light Cherry	702604031411

Colour	Art. Nr.
Cherry P3	702604031311
Elm P6	702604031711
Pearwood	702604030111
Light brown/Gold	702604031211
Light brown/Light spruce	702604031111
Corn yellow-Oak	702604031511
Medium brown-Honey	702604031611

Colour	Art. Nr.
Afzelia-Oak	702604030011
Teak/Natural	702604032111
Teak/Pine	702604032011
Spruce/Mora	702604030911
Dark brown/Pine	702604030411
Dark brown/Mahogany	702604030511
Black	702604031911

HARD WAX MELTER

For professional processing of hard wax. The melter is handy, easy to operate and can be used for small repairs to the wood surface. Takes just a few seconds to heat up. Batteries are included in the scope of delivery.

- ✓ Handy and easy to use
- ✓ Heats up particularly fast



Article no.	SU
980500030011	1 pc.

VKWG: 9541 | VKWK: 971

HARD WAX PLANE

The plastic plane is suitable for planing and processing hard wax applied as well as for applying and processing soft wax and plastic wood.



Size	Article no.	SU
40 mm	963700030011	1 pc.

VKWG: 9541 | VKWK: 971

GRILITH DECKLACKSTIFT

For retouching damaged white edges. The retouched area dries quickly and no longer needs to be painted over. Available in weiß (white).

- ✓ Good adhesion and surface hardness
- ✓ Simple application



Farbton	Article no.	SU
White	980405000011	1 pc.

VKWG: 9545 | VKWK: 971

GRILITH FLEXPEN

For removing the finest scratches or chafe marks indoors. Dry quickly, adhere well and are lightfast. With the flexible brush tip you can correct the smallest scratches, even fine wood structures can be easily traced with it.

- ✓ Ready for use
- ✓ Available in many wood colours



Description	Article no.	SU
See table below	see table below	1 pc.
Flexpen empty sleeve	830600030011	

VKWG: 9545 | VKWK: 971

Colour	Art. Nr.
Beech	830604036511
Light Oak	830604036611
Medium Oak	830604036711
Cherry	830604036811
Mahogany Brown	830604036911

Colour	Art. Nr.
Medium Walnut	830604037011
Dark Walnut	830604037111
Rustic	830604037211
Teak	830604037411
Black	830604037311

GRILITH KLARLACK-SPRAY

For refreshing and varnishing primed, stained and varnished wooden interior surfaces. It dries quickly and is characterised by an even flow, a uniform application of spray and good resistance to chemical influences. The colourless varnish is available in four degrees of gloss. For repainting chafe marks, repairing signs of wear or sealing repaired areas.

- ✓ Ready for use
- ✓ Repainting scuff marks
- ✓ Repairing signs of use
- ✓ Sealing repaired areas



Degree of gloss	Article no.	SU
Glossy	241705025215	150 ml
Silk matt	241707781115	
Matt	241705025315	
Dull matt	241707781215	

VKWG: 9630 | VKWK: 521

GRILITH VERDÜNNUNG 8013

Suitable thinner for Grilith wood filler.

Article no.	SU
801300021012	500 ml

VKWG: 8001 | VKWK: 801



NITRO SPRAYLACK

For small-surface repair work on varnished furniture surfaces and interior fittings. For example for repairing traces of usage or for varnishing assembly-related repair work on furniture or interior fittings made of wood.

- ✓ Very quick drying
- ✓ Very good flow
- ✓ Uniform application of spray



Degrees of gloss	Article no.	SU
Glossy G70	161205025237	400 ml
Silk matt G30	161207781137	

VKWG: 9630 | VKWK: 521

REPAIR

PREVAL-SPRAYER

The Preval-Sprayer is a manual sprayer with a propellant gas cartridge for any and interchangeable liquids. The sprayer is suitable for all uniform liquids, has excellent spray characteristics, is easy to use and easy to clean. It produces an even, sharply defined spray jet. There is no need for any equipment or connection for use.

Description	Article no.	SU
Set	963900030017	1 pc.
Cartridge	963900030111	

VKWG: 9541 | VKWK: 971



ABBEIZER SPRAY

Highly effective paint stripper spray with gel structure for removing old and different paint layers on substrates such as wood, metal and masonry.

- ✓ Quick and easy application

Article no.	SU
831108096937	400 ml

VKWG: 9512 | VKWK: 801



ABBEIZER EXPRESS

Highly effective paint stripper, particularly suitable for removing old, water-based window coatings. Paint Stripper Express removes thick layers of paint in a single step. Without addition of chlorinated hydrocarbons.

- ✓ Fast and easy to use
- ✓ Suitable for vertical surfaces too, due to gel structure

Article no.	SU
831300030012	500 ml

VKWG: 9512 | VKWK: 801



HONING SCRAPER

Honing scraper with replaceable blade or removing old varnishes. Perfect in combination with paint remover products.

- ✓ Aluminium design
- ✓ 65 mm blade for replacement

Description	Article no.	SU
Honing scraper	951000030011	1 pc.
Replacement blades	951000030117	3 pcs.

VKWG: 9545 | VKWK: 971



ADLER FURNITURE SERVICE CASE

Contains many important materials for repairing minor damage to surfaces. With this case you have all important utensils and tools ready to hand, always neatly arranged and protected. All components can also be reordered separately. Contents: 20 Grilith wax sticks for treating wood, 10 Grilith hard wax sticks, 2 Grilith topcoat pens (white), Grilith Flex-pens (10 paints, 2 empty sleeves), Grilith lacquer spray (silky matt, matt and dull matt), hard wax melter, hard wax plane, steel wool, 1 bag of jersey, finishing paper Grain 360 A4, fine brush, paint scraper, Preval-sprayer, propellant gas can, special polish with felt cloth.

Article no.	SU
961500030017	Case complete

VKWG: 9545 | VKWK: 971



PFLEGE

CLEAN MÖBELREINIGER SET

Suitable for cleaning varnished surfaces and other wipeable surfaces in the household. Clean Furniture Cleaner contains cleaning substances that remove dust, dirt and fingerprints. The product can be used regularly. Set consisting of 500 ml furniture cleaner including spray head and cleaning cloth. Available as a set or individually.

- Contents**
- ✓ Clean Furniture Cleaner 250 ml
 - ✓ 1 spray head
 - ✓ 1 cleaning cloth



Description	Article no.	SU
Set*	720200021017	1 pc.
Furniture cleaner 250 ml	720200021014	

VKWG: 4212 | VKWK: 303

CLEAN MÖBELPFLEGE SET PLUS

Gently removes dust and dirt without clogging the wood pores, is water-repellent and protects the furniture surface against dirt. The gloss or matt finish of the furniture surface is retained.

- Contents**
- ✓ Clean Furniture Care Plus 250 ml
 - ✓ 1 spray head
 - ✓ 1 cleaning cloth



Description	Article no.	SU
Set*	722200021017	1 pc.
Furniture care 250 ml	722200021014	

VKWG: 4212 | VKWK: 303

CLEAN PARKETTREINIGER UND -PFLEGE

Parquet cleaner for removing dirt and stubborn stains from wooden, laminate and cork floors as well as PVC floor coverings. Parquet care creates a resistant protective film on the substrate.

Description	Article no.	SU
Parquet cleaner 1 l	4219811	1 pc.
Parquet care 1 l	4219911	

VKWG: 4212 | VKWK: 303



WINDOOR CARE-SET

System care for coated windows and doors made of wood, aluminium and PVC as well as garden furniture. It has water-, oil- and dirt-repellent effect. Closes finest cracks, pores in the coated surface, and prolongs durability. Not suitable for high-gloss surfaces.

- Content**
- ✓ Top-Cleaner 250 ml
 - ✓ Top-Care 250 ml
 - ✓ 2 spraying heads
 - ✓ 1 cleaning cloth yellow
 - ✓ 1 care cloth blue



Description	Article no.	SU
Set*	722900030017	1 pc.
Top-Cleaner 250 ml	720800021014	
Top-Care 250 ml	722700021014	

VKWG: 5169 | VKWK: 531

* Components can be reordered individually.

SPEZIAL-POLISH 181

Removes the finest scratches from high-gloss surfaces, cleans and makes them scratch-resistant. A special polishing cloth is included in the scope of delivery.

- ✓ Removes the finest scratches
- ✓ Protects against scratches



Size	Article no.	SU
100 ml	963800030017	1 set

VKWG: 5169 | VKWK: 531

LEGNO-HOLZBODENSEIFE

The high-quality Legno Wooden Floor Soap is used for regular cleaning and care of oiled, waxed and leached wood and parquet floors, as well as oiled cork and laminate floors indoors.

- ✓ Cleans, maintains and refines wood and parquet floors sustainably
- ✓ Pleasant matt effect



Size	Article no.	SU
1 l	703100021011	1 pc.
2,5 l	703100021002	

VKWG: 5081 | VKWK: 303

LEGNO-REINIGER

High-quality, mild-smelling cleaning agent for oiled wooden surfaces. Removes heavy dirt and grease effortlessly.

Size	Article no.	SU
250 ml	700300021014	1 pc.
1 l	700300021011	

VKWG: 5081 | VKWK: 303

* Components can be reordered individually.



LEGNO-PFLEGEÖL

This universally applicable care oil was developed for the gentle care and freshening up of oiled furniture in the living area and interior fittings such as wooden cladding and wooden ceilings. Surfaces that are slightly soiled can be cleaned and refreshed in a matter of seconds using Legno-Pflegeöl.

Size	Article no.	SU
250 ml	700900021014	1 pc.

VKWG: 5065 | VKWK: 303



LEGNO-PFLEGESET

High-quality set for regular cleaning and care of oiled wooden surfaces such as furniture, wooden and parquet floors as well as interior finishing. Use the Legno Cleaner to clean dirty and greasy surfaces. The Legno Care Oil cares for and protects the wood and makes it shine again.

Contents

- ✓ Legno Cleaner 100 ml
- ✓ Legno Care Oil 100 ml
- ✓ 1 Abrasive fleece
- ✓ 1 Cleaning cloth
- ✓ Care instructions



Description	Article no.	SU
Set	702900021001	1 pc.

VKWG: 5081 | VKWK: 303



Paint runs through our veins.

90 years ago, Johann Berghofer laid the foundation stone for ADLER and work was started to develop its own paints.

Much has changed since that time, but one thing has stayed the same: our passion for colour, which drives us day after day to work on the perfect surface coating.

Paint runs through our veins.



facebook.com/adlerlacke



instagram.com/adlerlacke_official



youtube.com/@AdlerLacke

ADLER-COATINGS.COM



**TO OUR
ONLINE
SHOP**

ADLER-Werk Lackfabrik · Johann Berghofer GmbH & Co KG
Bergwerkstraße 22 · A-6130 Schwaz/Tirol
T. +43 5242 6922-0 · info@adler-lacke.com

ADLER Deutschland GmbH · Kunstmühlstr. 14 · D-83026 Rosenheim · T. +49 8031 304 5174

ADLER Lack AG · Etzelstraße 5 · CH-8856 Tuggen · T. +41 55 465 2121

ADLER Italia S.r.l. · Via per Marco 12/D · I-38068 Rovereto · T. +39 0464 425 308

ADLER Polska Sp. z o.o. · ul. Tyniecka 229 · PL-30-376 Kraków · T. +48 12 252 4001

ADLER Česko s.r.o. · Jihlavská 770/27 · CZ-664 41 Troubsko · T. +420 731 725 957

ADLER Slovensko s.r.o. · Montážna 3 · SK-971 01 Prievidza · T. +421 46 5199 621

ADLER Benelux BV · De Boelakkers 12 · NL-5591 RA Heeze · T. +31 85 064 2020



11-2025 | 898100070001