

## FOR MORE EFFICIENCY

# FENSTERNEWS 2020







## **AOUAWOOD PRIMO A1-A6**

The dip impregnation Aquawood Primo is a certified and approved wood protection product and offers best protection against blue stain and wood-destroying fungi according to ÖNORM B 3803 or DIN 68800-3. The colouring is achieved by high-quality, transparent iron oxide pigments, which at the same time contribute to the UV protection of the overall structure. The impregnation reliably equalises irregular absorbency, which is particularly important for softwood species. The lignin stabilisation permanently protects the wood from environmental influences and significantly increases the durability of the window.

### **Special properties**

- + Perfect wet adhesion
- + Very good equalisation and UV protection
- + Optimised sagging behaviour
- + Free of propiconazole

Aquawood Primo convinces with chemical wood protection, optimal equalisation effect, very good UV protection and perfect wet adhesion.

#### Article number

W30 5451000030 ff Weiß 5452050000 ff

**Container** 4 | | 22 | | 120 |

## AOUAWOOD INTERCARE FLOWO

This white primer and intermediate coat ensures very good insulation, filling power and block resistance for opaque coating structures. In the system with the top coat Aquawood Covapro or Aquawood Covatop, Intercare FlowQ significantly improves weathering resistance thanks to optimum moisture protection. The water-based surface system ensures outstanding pore wetting and thus provides a perfect result even for windows and front doors made of coarse-pored woods such as meranti.

### **Special properties**

- + High block resistance
- + Very good insulation and filling power
- + Little raising of the wood grain
- + Weathering resistance thanks to optimal moisture protection
- + Outstanding pore wetting on meranti

Aquawood Intercare FlowQ impresses in the system construction with its very good insulation, filling power and pore wetting.

 Article number
 5521050000 ff

 Container
 25 kg | 150 kg





## POLYCOLOR 2K SO

The water-based, two-component paint system Polycolor 2K SQ refines PVC windows, doors and garden furniture. It is characterised by high hardness and scratch resistance, high mechanical and chemical resistance as well as very long durability. The unique coating structure ensures perfect surface quality. Complete design freedom by tinting in all RAL and NCS colours and by adding various texture pastes.

### **Special properties**

- + High hardness and scratch resistance
- + Outstanding mechanical and chemical resistance
- + Extremely colour stable
- + Variety of colours and different texture pastes
- + Anti-heat equipment possible

# Polycolor 2K SQ refines PVC windows, doors and garden furniture.

Product		Container size
Polycolor 2K SQ W10	5082000010 ff	4 kg   20 kg
Polycolor 2K SQ W30	5082000030 ff	4 kg   20 kg
Polycolor 2K SQ Pearl	5085064354 ff	4 kg   20 kg
Polyactive SB	8059000210 ff	11 51
Aqua-PUR-Härter	82220 ff	200 g   1,1 kg
Top-Cleaner	5169614	250 ml

## WINDOOR CARE-SET

# System maintenance for windows and doors made of wood, ALU and PVC

With the new WinDoor Care-Set from ADLER you can freshen up transparent and opaque surfaces of windows, front doors and garden furniture. Even with matt coatings, this maintenance system provides perfect results and maintains the original appearance. Applied 1-2 times a year, it extends the service life of the elements over the long term. The base of cleaning and care substances has a water-, oil- and dirt-repellent effect and seals even microfine cracks and pores in the surface. In addition, the care product can be easily overpainted.

### **Special properties**

- + All-in-one preservative system
- + Universally applicable for windows, front doors and garden furniture
- + For opaque and transparent surfaces
- + Gloss retention, also for matt surfaces

**Contents** ADLER Top-Cleaner 250 ml

ADLER Top-Care 250 ml

2 spray heads

1 yellow cleaning cloth (Top-Cleaner)
1 blue maintenance cloth (Top-Care)

**Article number** 722900030017



# AQUAWOOD DIAMOND SEALER

The 2-component Aquawood Diamond Sealer intermediate coat prepares high-quality windows optimally for the subsequent top coat finish with Aquawood Diamond Top. Product features such as economy, very good pore wetting, outstanding wet adhesion and an optimal insulating effect characterise the primer. The excellent UV protection contributes significantly to the high resistance of the overall structure.

### **Special properties**

- + Excellent protection against yellowing
- + Outstanding wet adhesion
- + Very good pore pattern

Aquawood Diamond Sealer offers excellent UV protection and is characterised by very good pore pattern, insulation effect and outstanding wet adhesion.

#### **Article number**

Aquawood Diamond Sealer L 5723000200 Aquawood Diamond Sealer D 5520050000

**Container** 20 kg

# AQUAWOOD DIAMOND TOP

The durable water-based 2-component top coat Aquawood Diamond Top creates wooden windows for eternity. Thanks to excellent weathering and UV resistance, extreme scratch resistance, high block resistance and outstanding chemical resistance, premium windows are optimally protected. Despite high hardness, the coating is extremely toughelastic, which makes it very difficult to damage.

### **Special properties**

- + Outstanding weathering and UV protection
- + Perfect cream and grease resistance
- + High block resistance, efficient processing
- + Very good pore pattern
- + Very high mechanical load capacity

Aquawood Diamond Top impresses with outstanding weathering resistance and scratch resistance.

### Article number

Aquawood Diamond Top L W40 5196000040
Aquawood Diamond Top D (RAL and NCS)
W10 5090000010
W30 5090000030

**Container** 20 kg





## AQUAWOOD COVAPRO 20 | 40 | 60

The water-based, pigmented finishing coat has outstanding weathering resistance and permanent elasticity. In addition, Aquawood Covapro impresses with high block resistance, very high impact strength and fast water protection. Due to its good non-sag properties on vertical surfaces with optimal gradient and short drying times, the product can be processed particularly efficiently. The finished surface looks very natural and is also pleasing to the touch.

### **Special properties**

- + Natural surface, appealing feel
- + Available in matt, silky gloss and glossy
- + Outstanding weathering resistance
- + Fast and excellent water protection

Aquawood Covapro guarantees perfect surfaces for many years thanks to outstanding weathering resistance and permanent elasticity.

### ADLER SHADE BASES | MIX COLOUR MIXING SYSTEM

AQW Covapro 20 W10 (matt)	5023000010 ff
AQW Covapro 20 W30 (matt)	5023000030 ff
AQW Covapro 40 W10 (silky gloss)	5029000010 ff
AQW Covapro 40 W30 (silky gloss)	5029000030 ff
AQW Covapro 60 W10 (glossy)	5027000010 ff
AQW Covapro 60 W30 (glossy)	5027000030 ff

**Container** 5 kg | 10 kg | 20 kg

## **AOUAWOOD FINATOP 40**

The transparent, silky gloss, water-based finishing coat demonstrates high weathering resistance thanks to innovative UV protection mechanisms. In combination with fast and excellent water protection, the service life of wooden windows and front doors is significantly extended. Thanks to Aquawood Finatop 40, the finished surface impresses with maximum transparency and luminance while at the same time improving hardness and providing optimum protection against mechanical damage. This high-quality thick-coat glaze finish is formulated without active agents and is breathable.

### **Special properties**

- + Perfect weathering and UV protection
- + Early, excellent water protection
- + High block resistance and improved surface hardness
- + Free of active agents and breathable
- + High level of transparency

Aquawood Finatop 40 impresses with outstanding weathering resistance and water protection and provides extremely robust and highly transparent surfaces.

#### **Article number**

W30 5140000030 ff

Container 5 kg | 20 kg



Over 80 years ago, Johann Berghofer laid the foundation stone for ADLER and work was started to develop its own paints.

Much has changed since that time, but one thing has stayed the same: our passion for colour, which drives us day after day to work on the perfect surface coating.

Paint runs through our veins.

ADLER-Werk Lackfabrik · A-6130 Schwaz/Tirol · Bergwerkstraße 22 · T. +43 5242 6922-0 info@adler-lacke.com · www.adler-lacke.com · facebook.com/adlerlacke